St. Croix Fishery Management Plan – Draft Actions and Alternatives

Table of Contents

| Proposed Actions and Alternatives |
|---|
| 1.1 Action 1: Determine species to be included for management in the St. Croix Fishery Management Plan (FMP) |
| Proposed Alternatives for Action 1 |
| 1.2 Action 2: Establish stock complexes in the St. Croix Fishery Management Unit (FMU) |
| Proposed Alternatives for Action 2 |
| 1.3 Action 3: Define management reference points for species within the St. Croix Fishery Management Unit (FMU) |
| 1.3.1. Action 3(a): Establish a year sequence for determining mean or median annual landings for each stock within the St. Croix FMU. |
| Proposed Alternatives for Action 3(a) |
| 1.3.2. Action 3(b): Establish management reference points for stocks in the St. Croix FMU |
| Proposed Alternatives for Action 3(b) |
| Appendix A. List of Coral Species |
| List of Tables |
| Table 1.1.1. Draft list of species proposed to be included in the St. Croix Fishery Management Plan based on Alternative 2, <i>Criterion A</i> |
| Table 1.1.2. Draft list of species proposed to be excluded from the St. Croix Fishery Management Plan based on Alternative 2, <i>Criterion B</i> |
| Table 1.1.3. Draft list of species proposed to be included in the St. Croix Fishery Management Plan based on Alternative 2, <i>Criterion C</i> |
| Table 1.1.4. Draft list of species proposed to be included in the St. Thomas/St. John Fishery Management Plan based on Alternative 2, <i>Criterion D</i> |

| Table 1.1.5. Consolidated draft list of species under Alternative 2 recommended for inclusion is the St. Croix Fishery Management Plan (FMP) | |
|---|----|
| Table 1.2.1. Species proposed to be managed under the St. Croix FMP based on Alternative 2 of Action 1 that: (1) are also currently included in the St. Croix FMU and (2) are managed in a stock/stock complex. | |
| Table 1.2.2. New species proposed to be managed under the St. Croix FMP based on Alternative 2 of Action 1 that would have no groupings under Alternative 1 in Action 2 | |
| Table 1.3.1.1. Year sequences under Alternatives 1, 2, and 3 in Action 3(a) | 15 |
| Table 1.3.2.1. Possible options to establish management reference points for stocks in the St. Croix fishery management unit | 17 |
| Table A. List of species of corals currently included in the Corals and Reef Associated Plants and Invertebrates Fishery Management Plan (FMP). | 19 |

Proposed Actions and Alternatives

1.1 Action 1: Determine species to be included for management in the St. Croix Fishery Management Plan (FMP)

Proposed Alternatives for Action 1

Alternative 1. No action. The St. Croix FMP is composed of all species within the fishery management units (FMUs) presently managed under the Spiny Lobster FMP, Reef Fish FMP, Queen Conch FMP, and the Corals and Reef Associated Plants and Invertebrates (Coral) FMP.

Alternative 2¹ (*previously Alternative 3). For those species for which landings data are available, indicating the species is in the fishery, the Caribbean Fishery Management Council (Council) will follow a stepwise application of a set of criteria to determine if a species should be managed under the St. Croix FMP. The criteria under consideration include, in order:

Criterion A. Include for management those species that are presently classified as overfished in U.S. Caribbean federal waters based on NMFS determination, or for which historically identified harvest is now prohibited due to their ecological importance as habitat (corals presently included in the Corals and Reef Associated Plants and Invertebrates FMP) or habitat engineers (midnight, blue, rainbow parrotfish), or those species for which seasonal closures or size limits apply.

Table 1.1.1. Draft list of species proposed to be included in the St. Croix Fishery Management Plan based on **Alternative 2**, *Criterion A*.

| Family | Scientific Name | Common Name |
|----------------------------------|-------------------------|--------------------|
| | Apsilus dentatus | Black snapper |
| | Lutjanus buccanella | Blackfin snapper |
| | Lutjanus vivanus | Silk snapper |
| Lutjanidae Snappers | Rhomboplites aurorubens | Vermilion snapper |
| | Lutjanus synagris | Lane snapper |
| | Lutjanus analis | Mutton snapper |
| | Ocyurus chrysurus | Yellowtail snapper |
| | Epinephelus striatus | Nassau Grouper |
| Serranidae Groupers ¹ | Epinephelus itajara | Goliath grouper |
| | Epinephelus guttatus | Red hind |
| | Mycteroperca bonaci | Black grouper |

¹ The Interdisciplinary Planning Team for this action recommended on its 9/4/2015 meeting, interchanging the order of Alternatives 2 and 3 to facilitate discussion and analysis of each of the alternatives. This change will be recommended to the Council at the 154th Regular Meeting in December 2015.

| Family | Scientific Name | Common Name |
|----------------------------|------------------------|-----------------------------|
| | Epinephelus morio | Red grouper |
| | Mycteroperca tigris | Tiger grouper |
| | Mycteroperca venenosa | Yellowfin grouper |
| | Scarus coeruleus | Blue parrotfish |
| | Scarus coelestinus | Midnight parrotfish |
| | Scarus taeniopterus | Princess parrotfish |
| | Scarus vetula | Queen parrotfish |
| Scaridae Parrotfishes | Scarus guacamaia | Rainbow parrotfish |
| Scaridae Tarrottishes | Sparisoma rubripinne | Redfin parrotfish |
| | Sparisoma chrysopterum | Redtail parrotfish |
| | Sparisoma viride | Stoplight parrotfish |
| | Sparisoma aurofrenatum | Redband parrotfish |
| | Scarus croicensis | Striped parrotfish |
| Strombidae True conchs | Lobatus gigas | Queen conch |
| Palinuridae Spiny lobsters | Panulirus argus | Caribbean spiny lobster |
| All Corals | All corals | All corals (See appendix A) |

Motion #2 by the Council recommended including yellowedge grouper as an ecosystem component species.

Criterion B. From the remainder species, <u>exclude</u> from federal management those species that have been determined to infrequently occur in federal waters based on expert analysis guided by available data.

Table 1.1.2. Draft list of species proposed to be <u>excluded</u> from the St. Croix Fishery Management Plan based on **Alternative 2**, *Criterion B*.

| Family | Scientific Name | Common Name |
|-----------------------|-------------------------------|---------------------|
| | Pristipomoides aquilonaris | Wenchman |
| T (1 1) G | Pristipomoides macrophthalmus | Cardinal |
| Lutjanidae - Snappers | Lutjanus jocu | Dog snapper |
| | Lutjanus mahogani | Mahogany snapper |
| | Lutjanus cyanopterus | Cubera snapper |
| Serranidae - Groupers | Mycteroperca interstitialis | Yellowmouth grouper |
| | Haemulon album | Margate |
| Haemulidae - Grunts | Haemulon aurolineatum | Tomtate |
| | Haemulon flavolineatum | French grunt |
| Mullidae - Goatfishes | Anisotremus virginicus | Porkfish |
| | Pseudupeneus maculatus | Spotted goatfish |
| | Mulloidichthys martinicus | Yellow goatfish |

| Family | Scientific Name | Common Name |
|--------------------------------|--------------------------|-----------------------|
| Sparidae - Porgies | Calamus bajonado | Jolthead porgy |
| | Archosargus rhomboidalis | Sea bream |
| | Calamus penna | Sheepshead porgy |
| | Calamus pennatula | Pluma |
| | Myripristis jacobus | Blackbar soldierfish |
| Holocentridae - Squirrelfishes | Priacanthus arenatus | Bigeye |
| | Holocentrus adscensionis | Squirrelfish |
| N/L-1 | Caulolatilus cyanops | Blackline tilefish |
| Malacanthidae - Tilefishes | Malacanthus plumieri | Sand tilefish |
| | Caranx crysos | Blue runner |
| | Caranx latus | Horse-eye jack |
| | Caranx lugubris | Black jack |
| | Seriola rivoliana | Almaco jack |
| | Caranx ruber | Bar jack |
| Carangidae - Jacks | Seriola dumerili | Greater amberjack |
| | Caranx bartholomaei | Yellow jack |
| | Caranx hippos | Crevalle jack |
| | Alectis ciliaris | African pompano |
| | Elagatis bipinnulata | Rainbow runner |
| | Canthidermis sufflamen | Ocean triggerfish |
| Balistidae – Triggerfishes | Xanthichthys rigens | Sargassum triggerfish |
| | Balistes capriscus | Gray triggerfish |
| | Aluterus scriptus | Scrawled filefish |
| Monocanthidae - Filefishes | Cantherhines macrocerus | Whitespotted filefish |
| | Melichthys niger | Black durgon |
| | Lactophrys polygonia | Honeycomb cowfish |
| | Lactophrys quadricornis | Scrawled cowfish |
| Ostraciidae – Boxfishes | Lactophrys trigonus | Trunkfish |
| | Lactophrys bicaudalis | Spotted trunkfish |
| | Lactophrys triqueter | Smooth trunkfish |
| | Lachnolaimus maximus | Hogfish |
| Labridae - Wrasses | Halichoeres radiatus | Puddingwife |
| | Bodianus rufus | Spanish hogfish |
| | Sphyraena guachancho | Guaguanche |
| Sphyraenidae - Barracudas | Sphyraena barracuda | Great barracuda |
| Coryphaenidae - Dolphin fish | Coryphaena equiselis | Pompano dolphin |
| Lobotidae - Tripletail | Lobotes surinamensis | Tripletail |
| Scombridae Mackerels and | Euthynnus alletteratus | Little tunny |
| | , | 1 |

| Family | Scientific Name | Common Name |
|----------------------------|---------------------------|-------------------------|
| tunas | Thunnus atlanticus | Blackfin tuna |
| | Scomberomorus cavalla | King mackerel |
| | Scomberomorus regalis | Cero |
| Aquarium Trade Species FMU | | |
| | Antennarius spp. | Frogfish |
| | Apogon maculatus | Flamefish |
| | Astrapogen stellatus | Conchfish |
| | Ophioblennius atlanticus | Redlip blenny |
| | Bothus lunatus | Peacock flounder |
| | Chaetodon aculeatus | Longsnout butterflyfish |
| | Chaetodon capistratus | Foureye butterflyfish |
| | Chaetodon ocellatus | Spotfin butterflyfish |
| | Chaetodon striatus | Banded butterflyfish |
| | Amblycirrhitus pinos | Redspotted hawkfish |
| | Dactylopterus volitans | Flying gurnard |
| | Chaetodipterus faber | Atlantic spadefish |
| | Gobiosoma oceanops | Neon goby |
| | Priolepis hipoliti | Rusty goby |
| | Gramma loreto | Royal gramma |
| | Clepticus parrae | Creole wrasse |
| | Halichoeres cyanocephalus | Yellowcheek wrasse |
| | Halichoeres garnoti | Yellowhead wrasse |
| | Halichoeres maculipinna | Clown wrasse |
| | Hemipteronotus novacula | Pearly razorfish |
| | Hemipteronotus splendens | Green razorfish |
| | Thalassoma bifasciatum | Bluehead wrasse |
| | Echidna catenata | Chain moray |
| | Gymnothorax funebris | Green moray |
| | Gymnothorax miliaris | Goldentail moray |
| | Ogcocepahalus spp. | Batfish |
| | Myrichthys ocellatus | Goldspotted eel |
| | Opistognathus aurifrons | Yellowhead jawfish |
| | Opistognathus whitehursti | Dusky jawfish |
| | Centropyge argi | Cherubfish |
| | Holacanthus tricolor | Rock beauty |
| | Abudefduf saxatilis | Sergeant major |
| | Chromis cyanea | Blue chromis |
| | Chromis insolata | Sunshinefish |

| Family | Scientific Name | Common Name |
|------------------------------------|--------------------------|-----------------------|
| | Microspathodon chrysurus | Yellowtail damselfish |
| | Pomacentrus fuscus | Dusky damselfish |
| | Pomacentrus leucostictus | Beaugregory |
| | Pomacentrus partitus | Bicolor damselfish |
| | Pomacentrus planifrons | Threespot damselfish |
| | Priacanthus cruentatus | Glasseye snapper |
| | Equetus acuminatus | High-hat |
| | Equetus lanceolatus | Jackknife-fish |
| | Equetus punctatus | Spotted drum |
| | Scorpaenidae | Scorpionfishes |
| | Hypoplectrus unicolor | Butter hamlet |
| | Liopropoma rubre | Swissguard basslet |
| | Rypticus saponaceus | Greater soapfish |
| | Serranus annularis | Orangeback bass |
| | Serranus baldwini | Lantern bass |
| | Serranus tabacarius | Tobaccofish |
| | Serranus tigrinus | Harlequin bass |
| | Serranus tortugarum | Chalk bass |
| | Symphurus arawak | Caribbean tonguefish |
| | Hippocampus spp. | Seahorses |
| | Syngnathus spp. | Pipefishes |
| | Synodus intermedius | Sand diver |
| | Canthigaster rostrata | Sharpnose puffer |
| | Diodon hystrix | Porcupinefish |
| Aquarium Trade Fish Species | | |
| | Aphimedon compressa | Erect rope sponge |
| | Chondrilla nucula | Chicken liver sponge |
| | Cynachirella alloclada | |
| | Geodia neptuni | Potato sponge |
| | Haliclona spp. | Finger sponge |
| | Myriastra spp. | |
| | Niphates digitalis | Pink vase sponge |
| | N. erecta | Lavender rope sponge |
| | Spinosella policifera | |
| | S. vaginalis | |
| | Tethya crypta | |
| | Aiptasia tagetes | Pale anemone |
| | Bartholomea annulata | Corkscrew anemone |
| | Condylactis gigantea | Giant pink-tipped |

| Family | Scientific Name | Common Name |
|--------|--|------------------------|
| | | anemone |
| | Hereractis lucida | Knobby anemone |
| | Lebrunia spp. | Staghorn anemone |
| | Stichodactyla helianthus | Sun anemone |
| | Zoanthus spp. | Sea mat |
| | Discosoma spp. (formerly Rhodactis) | False coral |
| | Ricordia florida | Florida false coral |
| | Sabellastarte spp. | Tube worms |
| | S. magnifica | Magnificent duster |
| | Spirobranchus giganteus | Christmas tree worm |
| | Tridachia crispata | Lettuce sea slug |
| | Oliva reticularis | Netted olive |
| | Cyphoma gibbosum | Flamingo tongue |
| | Lima spp. | Fileclams |
| | L. scabra | Rough fileclam |
| | Spondylus americanus | Atlantic thorny oyster |
| | Octopus spp. (except the Common octopus, O.vulgaris) | |
| | Alpheaus armatus | Snapping shrimp |
| | Paguristes spp. | Hermit crabs |
| | P. cadenati | Red reef hermit |
| | Percnon gibbesi | Nimble spray crab |
| | Lysmata spp. | Peppermint shrimp |
| | Thor amboinensis | Anemone shrimp |
| | Mithrax spp. | Clinging crabs |
| | M. cinctimanus | Banded clinging |
| | M. sculptus | Green clinging |
| | Stenorhynchus seticornis | Yellowline arrow |
| | Periclimenes spp. | Cleaner shrimp |
| | Gonodactylus spp. | |
| | Lysiosquilla spp. | |
| | Stenopus hispidus | Banded shrimp |
| | S. scutellatus | Golden shrimp |
| | Analcidometra armata | Swimming crinoid |
| | Davidaster spp. | Crinoids |
| | Nemaster spp. | Crinoids |
| | Astropecten spp. | Sand stars |
| | Linckia guildingii | Common comet star |

| Family | Scientific Name | Common Name |
|--------|------------------------|-------------------|
| | Ophidiaster guildingii | Comet star |
| | Oreaster reticulatus | Cushion sea star |
| | Astrophyton muricatum | Giant basket star |
| | Ophiocoma spp. | Brittlestars |
| | Ophioderma spp. | Brittlestars |
| | O. rubicundum | Ruby brittlestar |

Criterion C. From the remainder species, <u>include</u> for management those species that are biologically vulnerable, constrained to a specific habitat that renders them particularly vulnerable, or have an essential ecological value, as determined by expert analysis.

Table 1.1.3. Draft list of species proposed to be included in the St. Croix Fishery Management Plan based on **Alternative 2**, *Criterion C*.

| Family | Scientific Name | Common Name |
|--------------------------------|--------------------------|------------------------|
| | Epinephelus fulvus | Coney |
| Cannonidae Cuermana | Epinephelus cruentatus | Graysby |
| Serranidae - Groupers | Epinephelus adscensionis | Rock hind |
| | Epinephelus mystacinus | Misty grouper |
| Haemulidae - Grunts | Haemulon sciurus | Bluestriped grunt |
| Holocentridae - Squirrelfishes | Holocentrus rufus | Longspine squirrelfish |
| | Acanthurus coeruleus | Blue tang |
| Acanthuridae - Surgeonfishes | Acanthurus bahianus | Ocean surgeonfish |
| | Acanthurus chirurgus | Doctorfish |
| Pomacanthidae - Angelfishes | Holacanthus ciliaris | Queen angelfish |
| | Pomacanthus arcuatus | Gray angelfish |
| | Pomacanthus paru | French angelfish |

Criterion D. From the remainder species, include those species possessing economic importance to the nation or regional economy based on a threshold of landings or value separately determined for each of the recreational, commercial, and aquarium trade sectors as appropriate (e.g., top 90%) and those representing an important component of bycatch, as established by expert analysis.

Table 1.1.4. Draft list of species proposed to be included in the St. Thomas/St. John Fishery Management Plan based on **Alternative 2**, *Criterion D*.

| Family | Scientific Name | Common Name |
|--------------------------------|------------------------|------------------------------|
| | Etelis oculatus | Queen snapper |
| Lutjanidae - Snappers | Lutjanus griseus | Gray snapper |
| | Lutjanus apodus | Schoolmaster |
| HaemulidaeGrunts | Haemulon plumieri | White grunt |
| Balistidae—Triggerfishes | Balistes vetula | Queen triggerfish (Old Wife) |
| Coryphaenidae – Dolphin fish | Coryphaena hippurus | Dolphin |
| Scombridae Mackerels and tunas | Acanthocybium solandri | Wahoo |

Table 1.1.5. Consolidated draft list of species under **Alternative 2** recommended for inclusion in the St. Croix Fishery Management Plan (FMP). The Caribbean Fishery Management Council proposed these species at their 153rd Regular Meeting, held in August 2015. The St. Croix FMP draft list of species includes queen conch (1 species), spiny lobster (1 species), 43 finfish, sea cucumbers, sea urchins, and all species of coral.

| Family or Class | # | Species Name Common Name | | Criterion |
|------------------------------------|----|---|-------------------|-----------|
| Strombidae True conchs | 1 | Lobatus (Strombus) gigas Queen conch | | A |
| Palinuridae Spiny lobster | 2 | Panulirus argus Caribbean spiny lobster | | A |
| | 3 | Apsilus dentatus | Black snapper | A |
| | 4 | Lutjanus buccanella | Blackfin snapper | A |
| Lutjanidae Snappers | 5 | Lutjanus vivanus | Silk snapper | A |
| | 6 | Rhomboplites aurorubens | Vermilion snapper | A |
| | | Lutjanus synagris | Lane snapper | A |
| | 8 | Lutjanus analis | Mutton snapper | A |
| | 9 | Ocyurus chrysurus Yellowtail snapper | | A |
| | 10 | Etelis oculatus | Queen snapper | D |
| | 11 | Lutjanus griseus | Gray snapper | D |
| | 12 | Lutjanus apodus | Schoolmaster | D |
| | 13 | Epinephelus striatus | Nassau Grouper | A |
| Serranidae – Groupers ¹ | 14 | Epinephelus itajara | Goliath grouper | A |
| | 15 | Epinephelus guttatus | Red hind | A |

| Family or Class | # | Species Name | Common Name | Criterion |
|---|----|---|------------------------|-------------------|
| | | Mycteroperca bonaci | Black grouper | A |
| | | Epinephelus morio | Red grouper | A |
| | | Mycteroperca tigris | Tiger grouper | A |
| | | Mycteroperca venenosa | Yellowfin grouper | A |
| | 20 | Epinephelus fulvus | Coney | С |
| | 21 | Epinephelus cruentatus | Graysby | С |
| | 22 | Epinephelus adscensionis | Rock hind | С |
| | 23 | Epinephelus mystacinus | Misty grouper | С |
| | 24 | Scarus coeruleus | Blue parrotfish | A |
| | 25 | Scarus coelestinus | Midnight parrotfish | A |
| | 26 | Scarus guacamaia | Rainbow parrotfish | A |
| | 27 | Scarus vetula | Queen parrotfish | A |
| Scaridae Parrotfishes | 28 | Scarus taeniopterus | Princess parrotfish | A |
| | 29 | Sparisoma chrysopterum | Redtail parrotfish | A |
| | 30 | Sparisoma viride | Stoplight parrotfish | A |
| | 31 | Sparisoma aurofrenatum | Redband parrotfish | A |
| | 32 | Sparisoma rubripinne | Redfin parrotfish | A |
| | | Scarus croicensis | Striped parrotfish | A |
| Acanthuridae Surgeonfishes | 34 | Acanthurus coeruleus | Blue tang | С |
| | 35 | Acanthurus bahianus | Ocean surgeonfish | С |
| | 36 | Acanthurus chirurgus | Doctorfish | С |
| - | 37 | Holacanthus ciliaris | Queen angelfish | С |
| Pomacanthidae | 38 | Pomacanthus arcuatus | Gray angelfish | С |
| Angelfishes | | Pomacanthus paru | French angelfish | С |
| Harris Plan County | 40 | Haemulon sciurus | Bluestriped grunt | С |
| Haemulidae Grunts | 41 | Haemulon plumieri | White grunt | D |
| Holocentridae Squirrelfish | 42 | Holocentrus rufus | Longspine squirrelfish | С |
| Balistidae Triggerfish | 43 | Balistes vetula | Queen triggerfish | D |
| Coryphaenidae Dolphin fish | 44 | Coryphaena hippurus | Dolphin | D |
| Scombridae Mackerels and tunas | 45 | Acanthocybium solandri | Wahoo | D |
| Class Holothuroidea Sea Cucumbers | 46 | All (several families and species) | Sea cucumbers | Council Motion |
| Class Echinoidea Sea Urchins | 47 | All (several families and species) | Sea urchins | Council Motion |
| All Corals (soft, hard, mesophotic, deep-water) | 48 | Several families and species (see Appendix A) | Corals | A |

¹Motion #2 in the 153rd Council meeting recommended including yellowedge grouper as an ecosystem component species.

Alternative 3² (*previously Alternative 2). Identify species to be managed by the Council in waters of the exclusive economic zone (EEZ) off St. Croix using all or some of the criteria listed below. For those species for which landings data are available, indicating the species is in the fishery, the Council will choose a set of criteria to determine if a species should be managed under the St. Croix FMP. The criteria under consideration include, (A) the status of the stock and/or if it currently has a harvest prohibition, size limit, or seasonal closure in federal waters, (B) the degree to which the species occurs in state rather than in federal waters and can therefore be affected by federal management, (C) the ecological importance of a species within the coral reef ecosystem, and (D) the extent of harvest relative to a pre-established threshold. The selected criteria will identify the species to be managed.

Criterion A. Include for management those species that are presently classified as overfished in U.S. Caribbean waters based on National Marine Fisheries Service (NMFS) determination, or for which historically identified harvest is now prohibited due to their ecological importance as habitat (corals presently included in the Corals and Reef Associated Plants and Invertebrates FMP) or habitat engineers (midnight, blue, rainbow parrotfish), or those species for which seasonal closures or size limits apply.

Criterion B. Exclude from federal management those species that have been determined to infrequently occur in federal waters based on expert analysis guided by available data.

Criterion C. Include for management those species that are biologically vulnerable, constrained to a specific habitat that renders them particularly vulnerable, or have an essential ecological value, as determined by expert analysis.

Criterion D. Include those species possessing economic importance to the nation or regional economy based on a threshold of landings or value separately determined for each of the recreational, commercial, and aquarium trade sectors as appropriate (e.g., top 90%) and those representing an important component of bycatch, as established by expert analysis.

12

² The Interdisciplinary Planning Team for this action recommended on its 9/4/2015 meeting, interchanging the order of Alternatives 2 and 3 to facilitate discussion and analysis of each of the alternatives. This change will be recommended to the Council at the 154th Regular Meeting in December 2015.

1.2 Action 2: Establish stock complexes in the St. Croix Fishery Management Unit (FMU)

Proposed Alternatives for Action 2

Alternative 1. No Action. In the St. Croix FMU, retain the stock complexes presently managed under the Reef Fish, Spiny Lobster, Queen Conch, and Coral and Reef Associated Plants and Invertebrates (Coral) FMPs.

Table 1.2.1. Species proposed to be managed under the St. Croix FMP based on Alternative 2 of Action 1 that: (1) are also currently included in the St. Croix FMU and (2) are managed in a stock/stock complex.

| Stocks/Stock complexes | Species included in the Council FMPs | |
|--|--|--|
| Snappers | | |
| Snapper Unit 1 ¹ | Black, blackfin, silk, vermillion | |
| Snapper Unit 2 ² | Queen | |
| Snapper Unit 3 ³ | Lane, mutton, gray, schoolmaster | |
| Snapper Unit 4 | Yellowtail | |
| Groupers | | |
| Grouper Unit 1 | Nassau | |
| Grouper Unit 2 | Goliath | |
| Grouper Unit 3 | Red hind, coney, graysby, rock hind | |
| Grouper Unit 4 | Black, red, tiger, yellowfin | |
| Grouper Unit 5 ⁴ | Misty | |
| Acanthuridae – Surgeonfishes | Blue tang, ocean surgeonfish, doctorfish | |
| Balistidae – Triggerfishes ⁵ | Queen triggerfish | |
| Haemulidae – Grunts ⁶ | White grunt, bluestriped grunt | |
| Holocentridae – Squirrelfish ⁷ | Longspine squirrelfish | |
| Pomacanthidae - Angelfishes | Queen, gray, French | |
| Scaridae – Parrotfishes | Blue, midnight, rainbow, queen, princess, redtail, | |
| | stoplight, redband, striped, redfin | |
| Class Holothuroidea - Sea Cucumbers ⁸ | All (several species) | |
| Class Echinoidea - Sea Urchins ⁸ | All (several species) | |
| Queen conch | Queen conch | |
| Spiny lobster | Spiny lobster | |
| Corals | Corals | |

^{*}Snappers and groupers are not managed in individual units for ACL purposes.

¹Snapper Unit (SU) 1 also includes the wenchman but it was proposed to be removed from management in Action 1.

²SU2 also includes cardinal snapper but it was proposed to be removed from management in Action 1.

³SU3 currently also includes dog and mahogany snapper. These species were proposed to be removed from management in Action 1.

⁴Grouper Unit 5 also includes yellowedge grouper but it was proposed to be removed from management in Action 1.

⁵Triggerfish currently also includes ocean triggerfish, sargassum triggerfish, and the black durgon. These species were proposed to be removed from management in Action 1.

Table 1.2.2. New species proposed to be managed under the St. Croix FMP based on Alternative 2 of Action 1 that would have no groupings under **Alternative 1** in Action 2.

| Family | Species common name | | |
|---------------------|---------------------|--|--|
| Mackerels and Tunas | Wahoo | | |
| Dolphin fishes | Dolphin | | |

Alternative 2. Do not organize the stocks in the St. Croix FMU in stock complexes. Management of the stocks will be in an individual basis.

Alternative 3. Organize stocks in the St. Croix FMU into stock complexes based on criteria developed by the Council and its Scientific and Statistical Committee (SSC) in cooperation with NMFS' Southeast Fisheries Science Center and Southeast Regional Office. (TBD)

Sub-Alternative 3a. Organize stocks in the St. Croix FMU based on X (e.g., landings patterns, life history, others) (*Note: this is the result of the cluster analysis).

Sub-Alternative 3b. Organize stocks in the St. Croix FMU based on the results of another approach (TBD).

⁶Grunts currently also include tomtate, margate, and the French porkfish. These species were proposed to be removed from management in Action 1.

⁷Squirrelfish also includes the blackbar soldierfish, bigeye, and the squirrelfish. These species were proposed to be removed from management in Action 1.

⁸Sea cucumbers and sea urchins (some species) are currently included in the Coral FMP as part of the aquarium trade FMU, which was proposed to be removed from management. Sea cucumbers and sea urchins are proposed to remain under management in the Island-Based FMPs.

1.3 Action 3: Define management reference points for species within the St. Croix Fishery Management Unit (FMU)

1.3.1. Action 3(a): Establish a year sequence for determining mean or median annual landings for each stock within the St. Croix FMU.

Proposed Alternatives for Action 3(a)

Alternative 1. No Action. Use the time series used in the Caribbean 2010 Annual Catch Limit (ACL) Amendment or the 2011 Caribbean 2011 ACL Amendment to establish management reference points or proxies for stocks in the St. Croix FMU.

Alternative 2. Use the longest year sequence of reliable landings data to establish management reference points or proxies for stocks in the St. Croix FMU.

Alternative 3. Use the most recent three years of available landings data to establish management reference points or proxies for stocks in the St. Croix FMU.

Table 1.3.1.1. Year sequences under **Alternatives 1, 2, and 3** in Action 3(a).

| Alternatives | Description | St. Croix (All sectors) |
|---------------|---|--|
| Alternative 1 | Years used in the 2010 and 2011 Caribbean ACL Amendments to determine current management reference points or proxies | 1999-2005 for stocks addressed in the 2010 Caribbean ACL Amendment 1999-2008 for stocks addressed in the 2011 Caribbean ACL Amendment |
| Alternative 2 | Longest year sequence reliable data | 1999-2014 |
| Alternative 3 | Most recent three years of available data | 2012-2014 |

1.3.2. Action 3(b): Establish management reference points for stocks in the St. Croix FMU

Proposed Alternatives for Action 3(b)

Alternative 1. No Action. For stocks in the St. Croix FMU, retain the management reference points or proxies presently used for stocks or stock complexes within the Reef Fish, Spiny Lobster, Queen Conch, and Coral and Reef Associated Plants and Invertebrates FMPs.

Alternative 2. For stocks in the St. Croix FMU, establish the maximum sustainable yield (MSY) based on the year sequence of landings data defined in Action 3(a).

Sub-Alternative 2a. MSY proxy = Median annual landings selected by the Council in Action 3(a).

Sub-Alternative 2b. MSY proxy = Mean annual landings selected by Council in Action 3(a).

Alternative 3. For stocks in the St. Croix FMU, establish an overfishing limit (OFL) based on the MSY established in **Alternative 2**.

Sub-Alternative 3a. OFL = MSY proxy adjusted using the ORCS scalar; overfishing occurs when the average of the three most recent years of landings exceeds the OFL, unless NMFS' Southeast Fisheries Science Center (SEFSC) (in consultation with the Council and it's SSC) determines the overage occurred because data collection/monitoring improved, rather than because landings actually increased.

Sub-Alternative 3b. OFL = MSY proxy; overfishing occurs when the average of the three most recent years of landings exceeds the OFL, unless NMFS' SEFSC (in consultation with the Council and it's SSC) determines the overage occurred because data collection/monitoring improved, rather than because landings actually increased.

Alternative 4. For stocks in the St. Croix FMU, establish an acceptable biological catch (ABC) control rule based on the OFL established in **Alternative 3**.

Sub-Alternative 4a. ABC= OFL

Sub-Alternative 4b. ABC= OFL x 0.90

Sub-Alternative 4c. ABC= OFL x 0.85

Sub-Alternative 4d. ABC= OFL x 0.75

Alternative 5. For stocks in the St. Croix FMU, establish an optimum yield (OY) and annual catch limit (ACL) based on the ABC established in **Alternative 4**.

Sub-Alternative 5a. OY = ACL = ABC

Sub-Alternative 5b. $OY = ACL = ABC \times 0.90$

Sub-Alternative 5c. $OY = ACL = ABC \times 0.85$

Sub-Alternative 5d. $OY = ACL = ABC \times 0.75$

Sub-Alternative 5e. OY = ACL = 0

Table 1.3.2.1. Possible options to establish management reference points for stocks in the St. Croix fishery management unit.

| REFERENCE POINT | DEFINITION | | | |
|---|--|--|--|--|
| ALTERNATIVE 2: MAXIMUM SUSTAINABLE YIELD (MSY) | | | | |
| Alternative 2(a) | MSY proxy = Median annual landings selected by Council in Action 3(a). | | | |
| Alternative 2(b) | MSY proxy = Mean annual landings selected by Council in Action 3(a). | | | |
| ALTERNATIVE 3: OVERFISHING LIMIT (OF | FL) | | | |
| Alternative 3(a) | OFL = MSY proxy adjusted using the ORCS scalar; overfishing occurs when the average of the three most recent years of landings exceeds the OFL, unless NMFS' Southeast Fisheries Science Center (in consultation with the Caribbean Fishery Management Council and it's SSC) determines the overage occurred because data collection/monitoring improved, rather than because landings actually increased. | | | |
| Alternative 3(b) | OFL = MSY proxy; overfishing occurs when the average of the three most recent years of landings exceeds the OFL, unless NMFS' Southeast Fisheries Science Center (in consultation with the Caribbean Fishery Management Council and it's SSC) determines the overage occurred because data collection/monitoring improved, rather than because landings actually increased. | | | |
| ALTERNATIVE 4: ACCEPTABLE BIOLOGICAL CATCH (ABC) CONTROL RULE | | | | |
| Alternative 4(a) | ABC= OFL | | | |
| Alternative 4(b) | ABC= OFL x 0.90 | | | |
| Alternative 4(c) | ABC= OFL x 0.85 | | | |

| REFERENCE POINT | DEFINITION |
|-------------------------------------|------------------------------|
| Alternative 4(d) | ABC= OFL x 0.75 |
| ALTERNATIVE 5: OPTIMUM YIELD (OY)/A | NNUAL CATCH LIMIT (ACL) |
| Alternative 5(a) | OY = ACL = ABC |
| Alternative 5(b) | $OY = ACL = ABC \times 0.90$ |
| Alternative 5(c) | $OY = ACL = ABC \times 0.85$ |
| Alternative 5(d) | $OY = ACL = ABC \times 0.75$ |
| Alternative 5(e) | OY = ACL = 0 |



Appendix A. List of Coral Species

Table A. List of species of corals currently included in the Corals and Reef Associated Plants and Invertebrates Fishery Management Plan (FMP). The proposed list of corals for each Island-Based FMP would include all corals – soft, hard, mesophotic, and deep-water corals.

| I. CoelenteratesPhylum Coelenterata | | Family | Scientific Name | Common Name | |
|--|----|---------------|------------------------------|----------------------|--|
| A. Hydrocorals Class Hydrozoa | | | | | |
| Hydroids Order Athecatae | 1 | Milleporidae | Millepora spp. | Fire corals | |
| , and the second | 2 | Stylasteridae | Stylaster roseus | Rose lace corals | |
| B. Anthozoans Class Anthozo | a | - | | | |
| Soft corals Order Alcyonacea | 3 | Anthothelidae | Erythropodium caribaeorum | Encrusting gorgonian | |
| | 4 | | Iciligorgia schrammi | Deep-water sea fan | |
| | 5 | Briaridae | Briareum asbestinum | Corky sea finger | |
| | 6 | Clavulariidae | Carijoa riisei | | |
| | 7 | | Telesto spp. | | |
| Gorgonian corals | 8 | Ellisellidae | Ellisella spp. | Sea whips | |
| Order Gorgonacea | 9 | Gorgoniidae | Gorgonia flabellum | Venus sea fan | |
| | 10 | | G. mariae | Venus sea fan | |
| | 11 | | G. ventalina | Common sea fan | |
| | 12 | | Pseudopterogorgia acerosa | Venus sea fan | |
| | 13 | | P. albatrossae | | |
| | 14 | | P. americana | Slimy sea plume | |
| | 15 | | P. bipinnata | Bipinnate plume | |
| | 16 | | P. rigida | | |
| | 17 | | Pterogorgia anceps | Angular sea whip | |
| | 18 | | P. citrina | Yellow sea whip | |
| | 19 | Plexauridae | Eunicea calyculata | Warty sea rod | |
| | 20 | | E. clavigera | | |
| | 21 | | E. fusca | Doughnut sea rod | |
| | 22 | | E. knighti | | |
| | 23 | | E. laciniata | | |
| | 24 | | E. laxispica | | |
| | 25 | | E. mammosa | Swollen-knob | |
| | 26 | | E. succinea | Shelf-knob sea rod | |
| | 27 | | E. touneforti | | |
| | 28 | | Muricea atlantica | | |
| | 29 | | M. elongata | Orange spiny rod | |

| I. CoelenteratesPhylum Coelenterata | | Family | Scientific Name | Common Name |
|--|----|----------------|------------------------------|--------------------|
| | 30 | | M. laxa | Delicate spiny rod |
| | 31 | | M. muricata | Spiny sea fan |
| | 32 | | M. pinnata | Long spine sea fan |
| | 33 | | Muriceopsis spp. | |
| | 34 | | M. flavida | Rough sea plume |
| | 35 | | M. sulphurea | |
| | 36 | | Plexaura flexuosa | Bent sea rod |
| | 37 | | P. homomalla | Black sea rod |
| | 38 | | Plexaurella dichotoma | Slit-pore sea rod |
| | 39 | | P. fusifera | |
| | 40 | | P. grandiflora | |
| | 41 | | P. grisea | |
| | 42 | | P. nutans | Giant slit-pore |
| | 43 | | Pseudoplexaura crucis | |
| | 44 | | P. flagellosa | |
| | 45 | | P. porosa | Porous sea rod |
| | 46 | | P. wagenaari | |
| Hard CoralsOrder Scleractinia | 47 | Acroporidae | Acropora cervicornis | Staghorn coral |
| | 48 | | A. palmata | Elkhorn coral |
| | 49 | | A. prolifera | Fused staghorn |
| | 50 | | Agaricia agaricities | Lettuce leaf coral |
| | 51 | | A. fragilis | Fragile saucer |
| | 52 | | A. lamarcki | Lamarck's sheet |
| | 53 | | A. tenuifolia | Thin leaf lettuce |
| | 54 | | Leptoseris cucullata | Sunray lettuce |
| | 55 | Astrocoeniidae | Stephanocoenia michelinii | Blushing star |
| | 56 | Caryophyllidae | Eusmilia fastigiata | Flower coral |
| | 57 | | Tubastrea aurea | Cup coral |
| | 58 | Faviidae | Cladocora arbuscula | Tube coral |
| | 59 | | Colpophyllia natans | Boulder coral |
| | 60 | | Diploria clivosa | Knobby brain coral |
| | 61 | | D. labyrinthiformis | Grooved brain |
| | 62 | | D. strigosa | Symmetrical brain |
| | 63 | | Favia fragum | Golfball coral |
| | 64 | | Manicina areolata | Rose coral |

| I. CoelenteratesPhylum | | Family | Scientific Name | Common Name |
|------------------------|----|----------------|-------------------------|---------------------|
| Coelenterata | 65 | | M. mayori | Tortugas rose coral |
| | 66 | | Montastrea annularis | Boulder star coral |
| | 67 | | M. cavernosa | Great star coral |
| | | | | |
| | 68 | | Solenastrea bournoni | Smooth star coral |
| | 69 | Meandrinidae | Dendrogyra cylindrus | Pillar coral |
| | 70 | | Dichocoenia stellaris | Pancake star |
| | 71 | | D. stokesi | Elliptical star |
| | 72 | | Meandrina meandrites | Maze coral |
| | 73 | Mussidae | Isophyllastrea rigida | Rough star coral |
| | 74 | | Isophyllia sinuosa | Sinuous cactus |
| | 75 | | Mussa angulosa | Large flower coral |
| | 76 | | Mycetophyllia aliciae | Thin fungus coral |
| | 77 | | M. danae | Fat fungus coral |
| | 78 | | M. ferox | Grooved fungus |
| | 79 | | M. lamarckiana | Fungus coral |
| | 80 | | Scolymia cubensis | Artichoke coral |
| | 81 | | S. lacera | Solitary disk |
| | 82 | Oculinidae | Oculina diffusa | Ivory bush coral |
| | 83 | Pocilloporidae | Madracis decactis | Ten-ray star coral |
| | 84 | | M. mirabilis | Yellow pencil |
| | 85 | Poritidae | Porites astreoides | Mustard hill coral |
| | 86 | | P. branneri | Blue crust coral |
| | 87 | | P. divaricata | Small finger coral |
| | 88 | | P. porites | Finger coral |
| | 89 | Rhizangiidae | Astrangia solitaria | Dwarf cup coral |
| | 90 | | Phyllangia americana | Hidden cup coral |
| | 91 | Siderastreidae | Siderastrea radians | Lesser starlet |
| | 92 | | S. siderea | Massive starlet |
| Black Corals | 93 | | Antipathes spp. | Bushy black coral |
| Order Antipatharia | 94 | | Stichopathes spp. | Wire coral |