

Draft Actions and Alternatives in the Draft Environmental Impact Statement (DEIS) for the St. Croix Fishery Management Plan

158th Caribbean Fishery Management Council Regular Meeting St. Thomas, U.S. Virgin Islands December 13-14, 2016





Draft Actions and Alternatives in the DEIS for the St. Croix Fishery Management Plan

Table of Contents

| Proposed Actions and Alternatives |
|---|
| 1.1 Action 1: Determine Species to be Included for Management in the St. Croix Fishery Management Plan (FMP) |
| 1.2 Action 2: Establish Stock or Stock Complexes in the St. Croix Fishery Management Plan (FMP) |
| 1.3 Action 3: Management Reference Points for Stocks/Stock Complexes in the St. Croix Fishery Management Plan (FMP) |
| 1.3.1. Action 3(a): Time Series |
| 1.3.2. Action 3(b): Maximum Sustainable Yield (MSY) Proxy for a Stock/Stock Complex in the St. Croix FMP. |
| 1.3.3. Action 3(c): Overfishing Limit (OFL) for Stocks/Stocks Complexes in the St. Croix FMP |
| 1.3.4. Action 3(d): Acceptable Biological Catch (ABC) Control Rule for Stocks/Stocks Complexes in the St. Croix FMP |
| 1.3.5. Action 3(e): Optimum Yield (OY) and Annual Catch Limit (ACL) for stocks/stocks complexes in the St. Croix FMP. |
| 1.4 Action 4: Essential Fish Habitat (EFH) Description and Identification for Species Not Previously Managed in Federal Waters of St. Croix |
| 1.5 Action 5: Framework Procedures for the St. Croix Fishery Management Plan 25 |
| Appendix A. List of Coral Species |

List of Tables

| Table 1.1.1. Draft list of species proposed to be included in the St. Croix Fishery Management Plan based on Alternative 2, <i>Criterion A</i> |
|--|
| Table 1.1.2. Draft list of species proposed to be excluded from the St. Croix Fishery Management Plan based on Alternative 2, <i>Criterion B</i> |
| Table 1.1.3. Draft list of species proposed to be included in the St. Croix Fishery Management Plan based on Alternative 2, <i>Criterion C</i> |
| Table 1.1.4. Draft list of species proposed to be included in the St. Croix Fishery Management Plan based on Alternative 2, <i>Criterion D</i> |
| Table 1.1.5. Consolidated draft list of species under Alternative 2 recommended for inclusion in the St. Croix FMP. |
| Table 1.2.1. Current stock/stock complexes under the Reef Fish, Spiny Lobster, Queen Conch, and Coral FMPs, for species to be included for management under the St. Croix FMP as selected in Action 1, Alternative 2 |
| Table 1.2.2. New species proposed to be included for management under the St. Croix FMP based on Action 1, Alternative 2 that do not have an assigned stock/stock complex under Action 2, Alternative 1 |
| Table 1.3.1. Time series of landings under Alternatives 1-5 in Action 3(a) for the St. Croix FMP. |
| Table 1.3.2. Methods used in the 2010 and 2011 Caribbean ACL Amendments to establish the MSY proxies for stock/stock complexes managed under the Reef Fish, Spiny Lobster, and Coral FMPs |
| Table 1.3.5. Methods used in the 2010 and 2011 Caribbean ACL Amendments to establish the OY and ACL for stock/stock complexes managed under the Reef Fish, Spiny Lobster, and Coral FMPs |
| Table 1.5.1. Alternative 1: Current framework measures in the Reef Fish, Spiny Lobster, Coral, and Queen Conch FMPs |
| Table 1.5.2. Alternative 2: Adopt the following framework procedure: |
| Table 1.5.3. Alternative 3: Adopt the following framework procedure (Broad): |
| Table 1.5.4. Alternative 4: Adopt the following framework procedure (Narrow): |
| Table A. List of species of corals currently included in the Corals and Reef Associated Plants and Invertebrates Fishery Management Plan (FMP). The proposed list of corals for the |

Proposed Actions and Alternatives

1.1 Action 1: Determine Species to be Included for Management in the St. Croix Fishery Management Plan (FMP)

Alternative 1. No action. The St. Croix FMP is composed of all species within the fishery management units (FMUs) presently managed under the Spiny Lobster FMP, Reef Fish FMP, Queen Conch FMP, and the Corals and Reef Associated Plants and Invertebrates (Coral) FMP.

Alternative 2. For those species for which landings data are available, indicating the species is in the fishery, the Caribbean Fishery Management Council (Council) will follow a stepwise application of a set of criteria to determine if a species should be managed under the St. Croix FMP. The criteria under consideration include, in order:

Criterion A. Include for management those species that are presently classified as overfished in U.S. Caribbean federal waters based on NMFS determination, or for which historically identified harvest is now prohibited due to their ecological importance as habitat (e.g., corals presently included in the Corals and Reef Associated Plants and Invertebrates FMP) or habitat engineers (midnight, blue, rainbow parrotfish), or those species for which seasonal closures or size limits apply.

Table 1.1.1. Draft list of species proposed to be included in the St. Croix Fishery Management Plan based on **Alternative 2**, *Criterion A*.

| Family | Scientific Name | Common Name |
|-----------------------|-------------------------|--------------------|
| | Apsilus dentatus | Black snapper |
| | Lutjanus buccanella | Blackfin snapper |
| | Lutjanus vivanus | Silk snapper |
| Lutjanidae Snappers | Rhomboplites aurorubens | Vermilion snapper |
| | Lutjanus synagris | Lane snapper |
| | Lutjanus analis | Mutton snapper |
| | Ocyurus chrysurus | Yellowtail snapper |
| | Epinephelus striatus | Nassau Grouper |
| | Epinephelus itajara | Goliath grouper |
| | Epinephelus guttatus | Red hind |
| Serranidae Groupers | Mycteroperca bonaci | Black grouper |
| | Epinephelus morio | Red grouper |
| | Mycteroperca tigris | Tiger grouper |
| | Mycteroperca venenosa | Yellowfin grouper |
| Scaridae Parrotfishes | Scarus coeruleus | Blue parrotfish |

| Family | Scientific Name | Common Name |
|----------------------------|------------------------|-----------------------------|
| | Scarus coelestinus | Midnight parrotfish |
| | Scarus taeniopterus | Princess parrotfish |
| | Scarus vetula | Queen parrotfish |
| | Scarus guacamaia | Rainbow parrotfish |
| | Sparisoma rubripinne | Redfin parrotfish |
| | Sparisoma chrysopterum | Redtail parrotfish |
| | Sparisoma viride | Stoplight parrotfish |
| | Sparisoma aurofrenatum | Redband parrotfish |
| | Scarus croicensis | Striped parrotfish |
| Strombidae True conchs | Lobatus gigas | Queen conch |
| Palinuridae Spiny lobsters | Panulirus argus | Caribbean spiny lobster |
| All Corals | All corals | All corals (See appendix A) |

Criterion B. From the remaining species, <u>exclude</u> from federal management those species that have been determined to infrequently occur in federal waters based on expert analysis guided by available data.

Table 1.1.2. Draft list of species proposed to be excluded from the St. Croix Fishery Management Plan based on **Alternative 2**, *Criterion B*.

| Family | Scientific Name | Common Name |
|--------------------------------|-------------------------------|----------------------|
| | Pristipomoides aquilonaris | Wenchman |
| T | Pristipomoides macrophthalmus | Cardinal |
| Lutjanidae - Snappers | Lutjanus jocu | Dog snapper |
| | Lutjanus mahogani | Mahogany snapper |
| | Lutjanus cyanopterus | Cubera snapper |
| Serranidae - Groupers | Mycteroperca interstitialis | Yellowmouth grouper |
| | Haemulon album | Margate |
| Haemulidae - Grunts | Haemulon aurolineatum | Tomtate |
| | Haemulon flavolineatum | French grunt |
| | Anisotremus virginicus | Porkfish |
| Mullidae - Goatfishes | Pseudupeneus maculatus | Spotted goatfish |
| | Mulloidichthys martinicus | Yellow goatfish |
| | Calamus bajonado | Jolthead porgy |
| Smaridae Danaica | Archosargus rhomboidalis | Sea bream |
| Sparidae - Porgies | Calamus penna | Sheepshead porgy |
| | Calamus pennatula | Pluma |
| Holocentridae - Squirrelfishes | Myripristis jacobus | Blackbar soldierfish |

| Family | Scientific Name | Common Name |
|------------------------------|--------------------------|-----------------------|
| | Priacanthus arenatus | Bigeye |
| | Holocentrus adscensionis | Squirrelfish |
| Malacanthidae - Tilefishes | Caulolatilus cyanops | Blackline tilefish |
| Maiacantinuae - Therisnes | Malacanthus plumieri | Sand tilefish |
| | Caranx crysos | Blue runner |
| | Caranx latus | Horse-eye jack |
| | Caranx lugubris | Black jack |
| | Seriola rivoliana | Almaco jack |
| Carangidae Ioaks | Caranx ruber | Bar jack |
| Carangidae - Jacks | Seriola dumerili | Greater amberjack |
| | Caranx bartholomaei | Yellow jack |
| | Caranx hippos | Crevalle jack |
| | Alectis ciliaris | African pompano |
| | Elagatis bipinnulata | Rainbow runner |
| | Canthidermis sufflamen | Ocean triggerfish |
| Balistidae – Triggerfishes | Xanthichthys rigens | Sargassum triggerfish |
| | Balistes capriscus | Gray triggerfish |
| | Aluterus scriptus | Scrawled filefish |
| Monocanthidae - Filefishes | Cantherhines macrocerus | Whitespotted filefish |
| | Melichthys niger | Black durgon |
| | Lactophrys polygonia | Honeycomb cowfish |
| Ostraciidae – Boxfishes | Lactophrys quadricornis | Scrawled cowfish |
| | Lactophrys trigonus | Trunkfish |
| | Lactophrys bicaudalis | Spotted trunkfish |
| | Lactophrys triqueter | Smooth trunkfish |
| | Lachnolaimus maximus | Hogfish |
| Labridae - Wrasses | Halichoeres radiatus | Puddingwife |
| | Bodianus rufus | Spanish hogfish |
| Sphyraenidae - Barracudas | Sphyraena guachancho | Guaguanche |
| Spriyi aemuae - Bai i acuuas | Sphyraena barracuda | Great barracuda |
| Coryphaenidae - Dolphin fish | Coryphaena equiselis | Pompano dolphin |
| Lobotidae - Tripletail | Lobotes surinamensis | Tripletail |
| | Euthynnus alletteratus | Little tunny |
| Scombridae Mackerels and | Thunnus atlanticus | Blackfin tuna |
| tunas | Scomberomorus cavalla | King mackerel |
| | Scomberomorus regalis | Cero |

| Aquarium Trade Species FMU in the Reef Fish FMP | | | | |
|---|---------------------------|-------------------------|--|--|
| | Antennarius spp. | Frogfish | | |
| | Apogon maculatus | Flamefish | | |
| | Astrapogen stellatus | Conchfish | | |
| | Ophioblennius atlanticus | Redlip blenny | | |
| | Bothus lunatus | Peacock flounder | | |
| | Chaetodon aculeatus | Longsnout butterflyfish | | |
| | Chaetodon capistratus | Foureye butterflyfish | | |
| | Chaetodon ocellatus | Spotfin butterflyfish | | |
| | Chaetodon striatus | Banded butterflyfish | | |
| | Amblycirrhitus pinos | Redspotted hawkfish | | |
| | Dactylopterus volitans | Flying gurnard | | |
| | Chaetodipterus faber | Atlantic spadefish | | |
| | Gobiosoma oceanops | Neon goby | | |
| | Priolepis hipoliti | Rusty goby | | |
| | Gramma loreto | Royal gramma | | |
| | Clepticus parrae | Creole wrasse | | |
| | Halichoeres cyanocephalus | Yellowcheek wrasse | | |
| | Halichoeres garnoti | Yellowhead wrasse | | |
| | Halichoeres maculipinna | Clown wrasse | | |
| | Hemipteronotus novacula | Pearly razorfish | | |
| | Hemipteronotus splendens | Green razorfish | | |
| | Thalassoma bifasciatum | Bluehead wrasse | | |
| | Echidna catenata | Chain moray | | |
| | Gymnothorax funebris | Green moray | | |
| | Gymnothorax miliaris | Goldentail moray | | |
| | Ogcocepahalus spp. | Batfish | | |
| | Myrichthys ocellatus | Goldspotted eel | | |
| | Opistognathus aurifrons | Yellowhead jawfish | | |
| | Opistognathus whitehursti | Dusky jawfish | | |
| | Centropyge argi | Cherubfish | | |
| | Holacanthus tricolor | Rock beauty | | |
| | Abudefduf saxatilis | Sergeant major | | |
| | Chromis cyanea | Blue chromis | | |
| | Chromis insolata | Sunshinefish | | |
| | Microspathodon chrysurus | Yellowtail damselfish | | |
| | Pomacentrus fuscus | Dusky damselfish | | |
| | Pomacentrus leucostictus | Beaugregory | | |
| | Pomacentrus partitus | Bicolor damselfish | | |

| | | T- |
|------------------------|---------------------------|-------------------------|
| | Pomacentrus planifrons | Threespot damselfish |
| | Priacanthus cruentatus | Glasseye snapper |
| | Equetus acuminatus | High-hat |
| | Equetus lanceolatus | Jackknife-fish |
| | Equetus punctatus | Spotted drum |
| | Scorpaenidae | Scorpionfishes |
| | Hypoplectrus unicolor | Butter hamlet |
| | Liopropoma rubre | Swissguard basslet |
| | Rypticus saponaceus | Greater soapfish |
| | Serranus annularis | Orangeback bass |
| | Serranus baldwini | Lantern bass |
| | Serranus tabacarius | Tobaccofish |
| | Serranus tigrinus | Harlequin bass |
| | Serranus tortugarum | Chalk bass |
| | Symphurus arawak | Caribbean tonguefish |
| | Hippocampus spp. | Seahorses |
| | Syngnathus spp. | Pipefishes |
| | Synodus intermedius | Sand diver |
| | Canthigaster rostrata | Sharpnose puffer |
| | Diodon hystrix | Porcupinefish |
| quarium Trade Fish Spe | cies FMU in the Coral FMP | |
| | Aphimedon compressa | Erect rope sponge |
| | Chondrilla nucula | Chicken liver sponge |
| | Cynachirella alloclada | |
| | Geodia neptuni | Potato sponge |
| | Haliclona spp. | Finger sponge |
| | Myriastra spp. | |
| | Niphates digitalis | Pink vase sponge |
| | N. erecta | Lavender rope sponge |
| | Spinosella policifera | 1 1 2 |
| | S. vaginalis | |
| | Tethya crypta | |
| | Aiptasia tagetes | Pale anemone |
| | Bartholomea annulata | Corkscrew anemone |
| | Condylactis gigantea | Giant pink-tipped |
| | Hereractis lucida | anemone Knobby anemone |
| | | • |
| | Lebrunia spp. | Staghorn anemone |
| | Stichodactyla helianthus | Sun anemone |
| | Zoanthus spp. | Sea mat |

| Diagonama ann (formarky | 1 |
|-------------------------------------|------------------------|
| Discosoma spp. (formerly Rhodactis) | False coral |
| Ricordia florida | Florida false coral |
| Sabellastarte spp. | Tube worms |
| S. magnifica | Magnificent duster |
| Spirobranchus giganteus | Christmas tree worm |
| Tridachia crispata | Lettuce sea slug |
| Oliva reticularis | Netted olive |
| Cyphoma gibbosum | Flamingo tongue |
| Lima spp. | Fileclams |
| L. scabra | Rough fileclam |
| Spondylus americanus | Atlantic thorny oyster |
| Octopus spp. (except the Common | |
| octopus, O.vulgaris) | |
| Alpheaus armatus | Snapping shrimp |
| Paguristes spp. | Hermit crabs |
| P. cadenati | Red reef hermit |
| Percnon gibbesi | Nimble spray crab |
| Lysmata spp. | Peppermint shrimp |
| Thor amboinensis | Anemone shrimp |
| Mithrax spp. | Clinging crabs |
| M. cinctimanus | Banded clinging |
| M. sculptus | Green clinging |
| Stenorhynchus seticornis | Yellowline arrow |
| Periclimenes spp. | Cleaner shrimp |
| Gonodactylus spp. | |
| Lysiosquilla spp. | |
| Stenopus hispidus | Banded shrimp |
| S. scutellatus | Golden shrimp |
| Analcidometra armata | Swimming crinoid |
| Davidaster spp. | Crinoids |
| Nemaster spp. | Crinoids |
| Astropecten spp. | Sand stars |
| Linckia guildingii | Common comet star |
| Ophidiaster guildingii | Comet star |
| Oreaster reticulatus | Cushion sea star |
| Astrophyton muricatum | Giant basket star |
| Ophiocoma spp. | Brittlestars |
| Ophioderma spp. | Brittlestars |
| O. rubicundum | Ruby brittlestar |
| <u> </u> | |

Criterion C. From the remaining species, <u>include</u> for management those species that are biologically vulnerable, constrained to a specific habitat that renders them particularly vulnerable, or have an essential ecological value, as determined by expert analysis.

Table 1.1.3. Draft list of species proposed to be included in the St. Croix Fishery Management Plan based on **Alternative 2**, *Criterion C*.

| Family | Scientific Name | Common Name |
|--------------------------------|--------------------------|------------------------|
| | Epinephelus fulvus | Coney |
| Samonidae Craumana | Epinephelus cruentatus | Graysby |
| Serranidae - Groupers | Epinephelus adscensionis | Rock hind |
| | Epinephelus mystacinus | Misty grouper |
| Haemulidae - Grunts | Haemulon sciurus | Bluestriped grunt |
| Holocentridae - Squirrelfishes | Holocentrus rufus | Longspine squirrelfish |
| Acanthuridae - Surgeonfishes | Acanthurus coeruleus | Blue tang |
| | Acanthurus bahianus | Ocean surgeonfish |
| | Acanthurus chirurgus | Doctorfish |
| Pomacanthidae - Angelfishes | Holacanthus ciliaris | Queen angelfish |
| | Pomacanthus arcuatus | Gray angelfish |
| | Pomacanthus paru | French angelfish |

Criterion D. From the remaining species, <u>include</u> those species possessing economic importance to the nation or regional economy based on a threshold of landings or value separately determined for each of the recreational, commercial, and aquarium trade sectors as appropriate (e.g., top 90%) and those representing an important component of bycatch, as established by expert analysis.

Table 1.1.4. Draft list of species proposed to be included in the St. Croix Fishery Management Plan based on **Alternative 2**, *Criterion D*.

| Family | Scientific Name | Common Name |
|--------------------------------|------------------------|------------------------------|
| | Etelis oculatus | Queen snapper |
| Lutjanidae - Snappers | Lutjanus griseus | Gray snapper |
| | Lutjanus apodus | Schoolmaster |
| HaemulidaeGrunts | Haemulon plumieri | White grunt |
| Balistidae-Triggerfishes | Balistes vetula | Queen triggerfish (Old Wife) |
| Coryphaenidae – Dolphin fish | Coryphaena hippurus | Dolphin |
| Scombridae Mackerels and tunas | Acanthocybium solandri | Wahoo |

Table 1.1.5 below summarizes the resulting species from all criteria.

Table 1.1.5. Consolidated draft list of species under **Alternative 2** recommended for inclusion in the St. Croix FMP. The Caribbean Fishery Management Council proposed these species for management at their 153rd Regular Meeting, held in August 2015. The St. Croix FMP draft list of species includes queen conch (1 species), spiny lobster (1 species), all species of sea cucumbers and sea urchins, all species of coral, and 43 species of finfish.

| Family or Class | # | Species Name | Common Name | Criterion |
|---------------------------|----|--------------------------|-------------------------|-----------|
| Strombidae True conchs | 1 | Lobatus (Strombus) gigas | Queen conch | A |
| Palinuridae Spiny lobster | 2 | Panulirus argus | Caribbean spiny lobster | A |
| | 3 | Apsilus dentatus | Black snapper | A |
| | 4 | Lutjanus buccanella | Blackfin snapper | A |
| Lutjanidae Snappers | 5 | Lutjanus vivanus | Silk snapper | A |
| | 6 | Rhomboplites aurorubens | Vermilion snapper | A |
| | 7 | Lutjanus synagris | Lane snapper | A |
| | 8 | Lutjanus analis | Mutton snapper | A |
| | 9 | Ocyurus chrysurus | Yellowtail snapper | A |
| | 10 | Etelis oculatus | Queen snapper | D |
| | 11 | Lutjanus griseus | Gray snapper | D |
| | 12 | Lutjanus apodus | Schoolmaster | D |
| | 13 | Epinephelus striatus | Nassau Grouper | A |
| | 14 | Epinephelus itajara | Goliath grouper | A |
| | 15 | Epinephelus guttatus | Red hind | A |
| Serranidae – Groupers | 16 | Mycteroperca bonaci | Black grouper | A |
| | 17 | Epinephelus morio | Red grouper | A |
| | 18 | Mycteroperca tigris | Tiger grouper | A |
| | 19 | Mycteroperca venenosa | Yellowfin grouper | A |
| | 20 | Epinephelus fulvus | Coney | С |
| | 21 | Epinephelus cruentatus | Graysby | С |
| | 22 | Epinephelus adscensionis | Rock hind | С |
| | 23 | Epinephelus mystacinus | Misty grouper | С |
| | 24 | Scarus coeruleus | Blue parrotfish | A |
| | 25 | Scarus coelestinus | Midnight parrotfish | A |
| | 26 | Scarus guacamaia | Rainbow parrotfish | A |
| Scaridae Parrotfishes | 27 | Scarus vetula | Queen parrotfish | A |
| | 28 | Scarus taeniopterus | Princess parrotfish | A |
| | 29 | Sparisoma chrysopterum | Redtail parrotfish | A |
| | 30 | Sparisoma viride | Stoplight parrotfish | A |
| | 31 | Sparisoma aurofrenatum | Redband parrotfish | A |

| Family or Class # S | | Species Name | Common Name | Criterion |
|---|----|---|------------------------|-------------------|
| | 32 | Sparisoma rubripinne | Redfin parrotfish | A |
| | | Scarus croicensis | Striped parrotfish | A |
| | 34 | Acanthurus coeruleus | Blue tang | С |
| Acanthuridae Surgeonfishes | 35 | Acanthurus bahianus | Ocean surgeonfish | C |
| Burgeomisies | 36 | Acanthurus chirurgus | Doctorfish | C |
| Pomacanthidae | 37 | Holacanthus ciliaris | Queen angelfish | C |
| Angelfishes | 38 | Pomacanthus arcuatus | Gray angelfish | C |
| ringemones | 39 | Pomacanthus paru | French angelfish | C |
| HPl C4 | 40 | Haemulon sciurus | Bluestriped grunt | C |
| Haemulidae Grunts | 41 | Haemulon plumieri | White grunt | D |
| Holocentridae Squirrelfish | 42 | Holocentrus rufus | Longspine squirrelfish | C |
| Balistidae Triggerfish | | Balistes vetula | Queen triggerfish | D |
| Coryphaenidae Dolphin fish | 44 | Coryphaena hippurus | Dolphin | D |
| Scombridae Mackerels and tunas | 45 | Acanthocybium solandri | Wahoo | D |
| Class Holothuroidea Sea Cucumbers | 46 | All (several families and species) | Sea cucumbers | Council Motion |
| Class Echinoidea Sea Urchins | 47 | All (several families and species) | Sea urchins | Council Motion |
| All Corals (soft, hard, mesophotic, deep-water) | 48 | Several families and species (see Appendix A) | Corals | A |

Alternative 3. Identify species to be managed by the Council in waters of the exclusive economic zone (EEZ) off St. Croix using all or some of the criteria listed below. For those species for which landings data are available, indicating the species is in the fishery, the Council will choose a set of criteria to determine if a species should be managed under the St. Croix FMP. The criteria under consideration include, (A) the status of the stock and/or if it currently has a harvest prohibition, size limit, or seasonal closure in federal waters, (B) the degree to which the species occurs in state rather than in federal waters and can therefore be affected by federal management, (C) the ecological importance of a species within the coral reef ecosystem, and (D) the extent of harvest relative to a pre-established threshold. The selected criteria will be applied, in no specific order, to identify the species to be managed.

Criterion A. <u>Include</u> for management those species that are presently classified as overfished in U.S. Caribbean waters based on National Marine Fisheries Service (NMFS) determination, or for which historically identified harvest is now prohibited due to their ecological importance as habitat (corals presently included in the Corals and Reef Associated Plants and Invertebrates

FMP) or habitat engineers (midnight, blue, rainbow parrotfish), or those species for which seasonal closures or size limits apply.

Criterion B. Exclude from federal management those species that have been determined to infrequently occur in federal waters based on expert analysis guided by available data.

Criterion C. <u>Include</u> for management those species that are biologically vulnerable, constrained to a specific habitat that renders them particularly vulnerable, or have an essential ecological value, as determined by expert analysis.

Criterion D. <u>Include</u> those species possessing economic importance to the nation or regional economy based on a threshold of landings or value separately determined for each of the recreational, commercial, and aquarium trade sectors as appropriate (e.g., top 90%) and those representing an important component of bycatch, as established by expert analysis.

1.2 Action 2: Establish Stock or Stock Complexes in the St. Croix Fishery Management Plan (FMP)

Alternative 1. No Action. In the St. Croix FMP, retain the stock/stock complexes presently used for management in the St. Croix EEZ under the Reef Fish, Spiny Lobster, Queen Conch, and Coral and Reef Associated Plants and Invertebrates (Coral) FMPs (Table 1.2.1). For species that were not previously managed in federal waters, no stock/stock complexes are established (Table 1.2.2).

Table 1.2.1. Current stock/stock complexes under the Reef Fish, Spiny Lobster, Queen Conch, and Coral FMPs, for species to be included for management under the St. Croix FMP as selected in Action 1, Alternative 2.

| | Species included in the Reef Fish, Spiny Lobster, | | |
|--|--|--|--|
| Stocks/Stock complexes | Queen Conch, and Coral FMPs | | |
| <u>Snappers</u> | | | |
| Snapper Unit 1 ¹ | Black, blackfin, silk, vermillion | | |
| Snapper Unit 2 ² | Queen | | |
| Snapper Unit 3 ³ | Lane, mutton, gray, schoolmaster | | |
| Snapper Unit 4 | Yellowtail | | |
| Groupers | | | |
| Grouper Unit 1 | Nassau | | |
| Grouper Unit 2 | Goliath | | |
| Grouper Unit 3 | Red hind, coney, graysby, rock hind | | |
| Grouper Unit 4 | Black, red, tiger, yellowfin | | |
| Grouper Unit 5 ⁴ | Misty | | |
| Acanthuridae – Surgeonfishes | Blue tang, ocean surgeonfish, doctorfish | | |
| Balistidae – Triggerfishes ⁵ | Queen triggerfish | | |
| Haemulidae – Grunts ⁶ | White grunt, bluestriped grunt | | |
| Holocentridae – Squirrelfish ⁷ | Longspine squirrelfish | | |
| Pomacanthidae - Angelfishes | Queen, gray, French | | |
| Scaridae – Parrotfishes | Blue, midnight, rainbow, queen, princess, redtail, | | |
| Scaridae – Farrouisiles | stoplight, redband, striped, redfin | | |
| Class Holothuroidea - Sea Cucumbers ⁸ | All (several species) | | |
| Class Echinoidea - Sea Urchins ⁸ | All (several species) | | |
| Queen conch | Queen conch | | |
| Spiny lobster | Spiny lobster | | |
| Corals | Corals | | |

^{*}Snappers and groupers are not managed in individual units for ACL purposes.

¹Snapper Unit (SU) 1 also includes the wenchman but this species is proposed to be removed from management in Action 1.

²SU2 also includes cardinal snapper but this species is proposed to be removed from management in Action 1.

³SU3 currently also includes dog and mahogany snapper. These species are proposed to be removed from management in Action 1.

⁴Grouper Unit 5 also includes yellowedge grouper but this species is proposed to be removed from management in Action 1.

⁵Triggerfish currently also includes ocean triggerfish, sargassum triggerfish, and the black durgon. These species are proposed to be removed from management in Action 1.

Table 1.2.2. New species proposed to be included for management under the St. Croix FMP based on Action 1, Alternative 2 that do not have an assigned stock/stock complex under Action 2, **Alternative 1.**

| Family | Species common name |
|---------------------|---------------------|
| Mackerels and Tunas | Wahoo |
| Dolphin fishes | Dolphin |

Alternative 2. Do not organize the species in the St. Croix FMP in stock complexes. Species would be managed as individual stocks.

Alternative 3. Manage species in the St. Croix FMP as individual stocks or as stock complexes, based on scientific analysis, including one or more of the following: cluster analysis based on landings patterns; outcomes from the SEDAR Caribbean Data Evaluation Workshop (2009) (only for species previously managed that will remain in the FMP); biological/life history similarities and vulnerability (for all species); or, expert opinion from the scientific and fishing communities (for all species).

Alternative 4. Where there is stock complex, select an indicator stock based on any of the following (*Needs SSC input*):

Sub-Alternative 4a. TBD

Sub-Alternative 4b. TBD

⁶Grunts currently also include tomtate, margate, and the French porkfish. These species are proposed to be removed from management in Action 1.

⁷Squirrelfish also includes the blackbar soldierfish, bigeye, and the squirrelfish. These species are proposed to be removed from management in Action 1.

⁸Sea cucumbers and some sea urchin species are currently included in the Coral FMP as part of the aquarium trade FMU. This FMU is proposed to be removed from management in Action 1. Sea cucumbers and sea urchins are proposed to remain under management in the St. Croix FMP.

1.3 Action 3: Management Reference Points for Stocks/Stock Complexes in the St. Croix Fishery Management Plan (FMP)

1.3.1. Action 3(a): Time Series

Select a time series of landings data to establish management reference points for a stock/stock complex, as applicable. Proposed time series are listed in Table 1.3.1 below. An individual alternative can be chosen for each stock/stock complex. (*Note: SSC input needed*).

Alternative 1. No Action. Use the time series of landings used in the 2010 Caribbean Annual Catch Limit (ACL) Amendment and the 2011 Caribbean ACL Amendment, as applicable, to set management reference points for a stock/stock complex in the St. Croix FMP. For species that were not previously managed in federal waters, there is no time series of landings to set management reference points.

Alternative 2. Use the longest year sequence of reliable landings data available to set management reference points, as applicable, for a stock/stock complex in the St. Croix FMP.

Alternative 3. Use the most recent *X* years (e.g., four years: 2013-2016) of available landings data to set management reference points for a stock/stock complex in the St. Croix FMP. (*Note: the years could be set as sub-alternatives. SSC will provide input)

Alternative 4. Use the longest time series of pre-Caribbean Sustainable Fisheries Act (SFA) Amendment landings data that is considered to be consistently reliable to set management reference points for a stock/stock complex in the St. Croix FMP (e.g., 1999-2005)

*Alternative 5. Use X time series of available landings for a specific stocks/stock complex.

¹ Defined in both the 2010 and 2011 Caribbean ACL Amendments: more recent time-series landings data that are more reliable than baseline but that are affected by recent regulatory changes.

² Defined in both the 2010 and 2011 Caribbean ACL Amendments: reflects landings prior to implementation of the Caribbean SFA Amendment in 2006, thereby approximating sustainable yield.

Table 1.3.1. Time series of landings under **Alternatives 1-5** in Action 3(a) for the St. Croix FMP.

| Alternatives | Description | St. Croix (All sectors) | |
|---------------|---|---|--|
| Alternative 1 | | 1999-2005* for snapper, grouper, parrotfish, and queen conch (*longest time series of pre-Caribbean SFA Amendment landings data that is considered to be consistently reliable across all islands); | |
| | Time series of landings used in the 2010 and 2011 Caribbean ACL Amendments (status quo) | 1999-2008 for surgeonfish, triggerfish, grunts, squirrelfish, angelfish, spiny lobster; | |
| | | 1988-2009 for sea cucumbers and some sea urchin species ¹ (*longest year sequence of reliable landings data available) | |
| Alternative 2 | Longest year sequence reliable data | TBD | |
| Alternative 3 | Most recent X years of available data | TBD | |
| Alternative 4 | Longest time series of pre- Caribbean SFA Amendment landings data | 1999-2005? | |
| Alternative 5 | Other | TBD | |

¹Sea cucumbers and sea urchins are managed as part of the Aquarium Trade FMU. Management reference points (and time series to derive those) apply to the Aquarium Trade FMU as a group.

1.3.2. Action 3(b): Maximum Sustainable Yield (MSY) Proxy for a Stock/Stock Complex in the St. Croix FMP.

Alternative 1. No Action. Establish the MSY proxy for stock/stock complexes by the methods used in the 2010 and 2011 Caribbean ACL Amendments, as applicable, based on the year sequence of landings data defined in Action 3(a). For species that were not previously managed in federal waters, no MSY proxy is established. Table 1.3.2 lists the methods used for previously managed stocks.

Table 1.3.2. Methods used in the 2010 and 2011 Caribbean ACL Amendments to establish the MSY proxies for stock/stock complexes managed under the Reef Fish, Spiny Lobster, and Coral FMPs.

| St. Croix | | | | | |
|--|---|--|--|--|--|
| Stocks/Stock complexes | Maximum Sustainable Yield proxy | | | | |
| Snapper, grouper, surgeonfish, triggerfish, grunts, squirrelfish, angelfish, parrotfish, queen conch, spiny lobster | Commercial and Recreational combined: mean annual commercial landings from year sequence in Action 3(a) | | | | |
| Sea cucumbers and some sea urchin species | Commercial and Recreational combined: median annual commercial landings from year sequence in Action 3(a) | | | | |

Alternative 2. Establish the MSY proxy as described by the sub-alternatives below. A different sub-alternative can be chosen for each stock/stock complex.

Sub-Alternative 2a. Median annual landings from year sequence in Action 3(a).

Sub-Alternative 2b. Mean annual landings for year sequence selected in Action 3(a).

Alternative 3. MSY = Long-term Yield at maximum fishing mortality threshold (MFMT)^(Assuming the spawner-recruit relationship is well estimated, otherwise undefined.) (*Note, this MSY is from Tier 1 (Data Rich) of "Tiered" ABC Control Rule (ABC CR) (SSC input needed).

1.3.3. Action 3(c): Overfishing Limit (OFL) for Stocks/Stocks Complexes in the St. Croix FMP.

Alternative 1. No Action. The OFL would be derived from the methods used in the 2010 and 2011 Caribbean ACL Amendments, as applicable, for snapper, grouper, surgeonfish, triggerfish, grunts, squirrelfish, angelfish, parrotfish, sea cucumbers, some sea urchin species, queen conch, and spiny lobster. For species that were not previously managed in federal waters³, no OFL is determined.

Alternative 2. For a stock/stock complex in the St. Croix FMP, establish the OFL= MSY proxy adjusted using the ORCS scalar.

Alternative 3. For a stock/stock complex in the St. Croix FMP, the OFL = MSY proxy.

Alternative 4. OFL = scalar multiplied by 75^{th} percentile of reference period landings, where the scalar = < 2 depending on perceived degree of exploitation, life history and ecological function. (*Note, this is OFL from Tier 4a of "Tiered" ABC CR)

Alternative 5. OFL = Scalar multiplied by the mean of recent landings (most recent three years of available landings), where the scalar <1 depending on perceived degree of exploitation, life history, and ecological function. (*Note, this is OFL from Tier 4b of "Tiered" ABC CR)

Alternative 6. OFL = yield at MFMT (*Note, this OFL is from Tier 1 (Data Rich) of "Tiered" ABC CR) Yield is model-based outcome, it is the projected yield

Alternative 7. OFL = catch at MFMT (*Note, this OFL is from Tier 3 (Data Limited Quantitative Assessment) of "Tiered" ABC CR. It is also model based but it is the actual catch not a projection because this is data poor).

18

³ Species in the St. Croix FMP that were not previously managed in St. Croix federal waters are the dolphin and the wahoo.

1.3.4. Action 3(d): Acceptable Biological Catch (ABC) Control Rule for Stocks/Stocks Complexes in the St. Croix FMP.

Alternative 1. No action. Retain the specification of an ABC control rule by the methods used in the 2010 and 2011 Caribbean ACL Amendments, as applicable, where ABC=OFL for snapper, grouper, surgeonfish, triggerfish, grunts, squirrelfish, angelfish, spiny lobster, sea cucumbers, sea urchins, except for queen conch and parrotfish, for which the ABC would be specified by the SSC on an adhoc basis. For those species not previously managed in federal waters of St. Croix, no ABC control rule is established.

Alternative 2. Do not specify an ABC Control Rule. The ABC will be set by the Council's SSC on an ad hoc basis for each stock/stock complex.

Alternative 3. For a stock/stock complex in the St. Croix FMP, adopt an ABC Control Rule where the buffer (or no buffer) between the OFL and the ABC will be a fixed level consisting of:

Sub-Alternative 3a. ABC= OFL

Sub-Alternative 3b. ABC= OFL x 0.90

Sub-Alternative 3c. ABC= OFL \times 0.85

Sub-Alternative 3d. ABC= OFL \times 0.75

Alternative 4. For a stock/stock complex in the St. Croix FMP, adopt the ABC Control Rule described in Table 1.3.4 below.

Table 1.3.4. Acceptable Biological Catch Control Rule ("Tiered")*

| | eptable Biological Catch Control Rule (Tiefett) |
|---------------------|--|
| Tier 1 ABC CR ("Dat | |
| Condition for Use | Full stage-structured assessment where reliable time series on (1) catch, (2) stage composition and (3) index of abundance are available and the assessment provides estimates of MSST, MFMT, and PDF of OFL Minimum Stock Size Threshold (MSST) = $0.75*SSB_{MSY (or proxy)}$ |
| | Maximum Fishing Mortality Threshold (MFMT) = $F_{MSY \text{ (or proxy)}}$ MFMT = F_{MSY} |
| | MSY = Long-term Yield at MFMT ^{Assuming the spawner-recruit relationship is well estimated, otherwise undefined.)} |
| OFL ¹ | Yield at MFMT |
| ABC | ABC = x= OFL as reduced by scientific uncertainty [†] and risk of overfishing ^{††} . The reduction factor is applied to the PDF of OFL, where the PDF is determined from the assessment (where $\sigma > \sigma_{\min}$ ^{†††}) ABC*= d(x) where $d = \frac{\text{Scalar}}{\text{Scalar}} \text{ if } B \ge B \text{msy}$ Where: |
| | Scalar is = 1 if risk of overfishing is specified (<0.5), <1 if not specified (=0.5) B _{critical} is defined as the minimum level of depletion at which fishing would be allowed. |
| | †Scientific uncertainty would take into account, but not be limited to, the species life history and ecological function. ††Risk of overfishing determined by Council |
| | *Risk of overfishing determined by Council *** σ_{min} could be equal to coefficient of variation; σ_{min} is in a log scale |
| Tier 2 ABC CR ("Dat | a Moderate") |
| Condition for Use | Data-moderate approaches where two of the three time series (catch, stage composition and index of abundance) are deemed informative by the assessment process, and the assessment can provide MSST, MFMT, and PDF of OFL |
| | Same as Tier 1, but variation of the PDF of OFL (σ) must be greater than 1.5 σ_{min} (in principle there should be more uncertainty with data-moderate approaches than data-rich approaches). |
| | a Limited Quantitative Assessments") |
| Conditions for Use | Relatively data-limited or out-of-date assessments |
| | MFMT = F_{MSY} (or proxy such as $F_{40\%}$) MSST = $unknown$ |
| OFL | OFL = catch at MFMT |
| ABC | ABC determined from OFL as reduced by scientific uncertainty [†] and risk of overfishing ^{††} a. Where the reduction factor is applied to the PDF of OFL when the PDF is determined from the assessment (with s ≥ 2s _{min}) OR b. Where ABC = reduction factor * OFL, where reduction factor must be ≤ 0.9 |
| | †Scientific uncertainty would take into account, but not be limited to, the species life history and ecological function, the perceived level of depletion, and vulnerability of the stock to collapse. ††Risk of overfishing determined by Council |
| | lings and Ancillary Information (e.g., Productivity-Susceptibility Analyses, Expert opinion) |
| 4a | |
| Conditions for use | No accepted assessment, but stock <u>unlikely</u> to be subject to overfishing, and not likely to be overfished. If SSC consensus cannot be reached on the use of Tier 4a, Tier 4b should be used. MSST, MFMT, MSY = unknown OFL = Scalar * 75^{th} percentile of reference period landings Scalar =< 2 depending on perceived degree of exploitation, life history and ecological function ABC = buffer * OFL, where buffer must be ≤ 0.9 (e.g., 0.9 , 0.8 , 0.75 , 0.70) |
| OFL | OFL = Scalar * 75th percentile of reference period landings Scalar =< 2 depending on perceived degree of exploitation, life history and ecological function |
| ABC | ABC = buffer * OFL, where buffer must be \leq 0.9 (e.g., 0.9, 0.8, 0.75, 0.70) |
| 4B | |

| Conditions for use | No accepted assessment, but stock <u>likely</u> subject to overfishing and/or overfished or unclear. MSST, MFMT, MSY = undefined |
|--------------------|--|
| OFL | OFL = Scalar * <i>mean</i> of recent landings (most recent three years of available landings) Scalar < 1 depending on perceived degree of exploitation, life history and ecological function |
| ABC | ABC = buffer * OFL, where buffer must be \leq 0.9 (e.g., 0.9, 0.8, 0.75, 0.70) |

¹Need SSC input about inclusion/exclusion of OFL in this ABC CR.

Notes: Changes in the trend of a stock's landings or a stock complex's landings in x (e.g., 3) consecutive years, shall trigger a re-evaluation of their ABC CR determination under Tiers



^{*}Needs additional SSC input

1.3.5. Action 3(e): Optimum Yield (OY) and Annual Catch Limit (ACL) for stocks/stocks complexes in the St. Croix FMP.

Alternative 1. The OY and the ACL would be derived by the methods used in the 2010 and 2011 Caribbean ACL Amendments, as applicable. These are listed in Table 1.3.5 below. For species not previously managed in federal waters, no OY or ACL is determined.

Table 1.3.5. Methods used in the 2010 and 2011 Caribbean ACL Amendments to establish the OY and ACL for stock/stock complexes managed under the Reef Fish, Spiny Lobster, and Coral FMPs.

| Stock/Stock Complex | St. Croix FMP |
|--|--|
| Snapper and grouper | $OY = ACL = OFL^{1} \times 0.85$ |
| Parrotfish | $OY = ACL = ABC^2 \times 0.85$ and additional reduction of 5.8822% |
| Prohibited harvest sps.: Nassau, goliath, midnight, blue, rainbow parrotfish, corals | OY = ACL = 0 |
| Queen conch | OY = ACL = 50,000 lbs |
| Triggerfish, grunts, squirrelfish, spiny lobster | $OY = ACL = ABC^3 \times 0.90$ |
| Surgeonfish and angelfish, some species of sea urchins, sea cucumbers | $OY = ACL = ABC^3 \times 0.75$ |

¹OFL =ABC

Alternative 2. For a stock/stock complex in the St. Croix FMP, determine the OY and the ACL based on the formula in one of the sub-alternatives below and the ABC established in **Action 3(d)**.

Sub-Alternative 2a. OY = ACL = ABC

Sub-Alternative 2b. $OY = ACL = ABC \times 0.90$

Sub-Alternative 2c. OY = $ACL = ABC \times 0.85$

Sub-Alternative 2d. $OY = ACL = ABC \times 0.75$

Sub-Alternative 2e. OY = ACL = 0

²ABC specified by the SSC.

 $^{^{3}}$ OFL =ABC

1.4 Action 4: Essential Fish Habitat (EFH) Description and Identification for Species Not Previously Managed in Federal Waters of St. Croix.

Background

As identified in Action 1 (Alternative 2), the draft list of species to be managed under the St. Croix FMP includes queen conch (1 species), spiny lobster (1 species), 43 finfish, sea cucumbers, sea urchins, and all species of coral. From these, two species of finfish are new to federal management. The Magnuson-Stevens Fishery Conservation and Management Act (MSA) requires that each FMP describe and identify essential fish habitat for each fishery. Thus, this action would identify and describe EFH for the two finfish species new to federal management: wahoo and dolphin. The remaining species identified for inclusion in the St. Croix FMP in Action 1 (Alternative 2) were previously managed under the Council FMPs and already have existing EFH designations. These existing designations will be evaluated during the ongoing EFH 5-year Review.⁴

Alternative 1. No action. Do not describe and identify EFH for species not previously managed in federal waters of St. Croix.

Alternative 2. Describe and identify EFH according to functional relationships between life history stages of federally-managed species and St. Croix marine and estuarine habitats.

Alternative 3. Use other method(s) to describe and identify EFH for species not previously managed in federal waters of St. Croix. The March 2004 Final Environmental Impact Statement for the Generic EFH Amendment explored a number of concepts that could be used depending on data availability. Some of these methods for describing EFH include:

- 1) Designating EFH based on distribution data (distribution of habitat types, fish species and fishing effort) (*Level 1 data surveys of presence/absence; simple habitat/species associations*.
- 2) Designating EFH based on habitat-related densities of the species (EFH would be defined as the area where the density or relative abundance of a species life stage is above a threshold level) (Level 2 Survey/fishery related CPUE as proxy for density; or spatial modeling of probability of occurrence, or other forms of habitat suitability models).

⁴ Under the MSA, the FMP is required to both identify EFH and minimize to the extent practicable adverse effects on such habitat caused by fishing. The need to include an action to prevent, mitigate, or minimize adverse effects on EFH for species not previously managed in St. Croix federal waters will depend on the results of the analysis of the gears and techniques used to fish for those new species.

- 3) Using spatial data to designate EFH (would use spatially explicit, qualitative or quantitative information that link fish distributions and habitat to describe and identify EFH). (Level 2)
- 4) Habitat suitability models (uses habitat suitability modeling prepared by NOS to infer information about species distribution, and possibly relative density (i.e. assuming that habitats with a higher suitability support greater abundances of a species life stage)).
- 5) Designating EFH based on data on growth, reproduction, or survival rates within habitats (obtained from tagging data (growth), fecundity data by area).
- 6) Designating EFH based on production rates by habitat.



1.5 Action 5: Framework Procedures for the St. Croix Fishery Management Plan

Alternative 1. No action. Retain the framework procedures presently included under the Reef Fish, Spiny Lobster, Queen Conch, and Corals and Reef Associated Plants and Invertebrates FMPs. (Table 1.5.1 below)

Alternative 2. Adopt the base Framework Procedure listed in Table 1.5.2.

Alternative 3. Adopt the more broad Framework Procedure listed in Table 1.5.3.

Alternative 4. Adopt the more narrow Framework Procedure listed in Table 1.5.4.

Table 1.5.1. Alternative 1: Current framework measures in the Reef Fish, Spiny Lobster, Coral, and Queen Conch FMPs

| Framework Measures in Caribbean Council FMPs |
|--|
| a) Quota Requirements |
| b) Seasonal Closures |
| c) Area Closures |
| d) Fishing Year |
| e) Trip/Bag Limit |
| f) Size Limits |
| g) Gear Restrictions or Prohibitions |
| h) Fishery Management Unit (FMU) |
| i) Total Allowable Catch (TAC) |
| j) Annual Catch Limits (ACLs) |
| k) Accountability Measures (AMs) |
| I) Annual Catch Targets (ACTs) |
| m) Maximum Sustainable Yield (MSY) |
| n) Optimum Yield (OY) |
| o) Minimum Stock Size Threshold (MSST) |
| p) Maximum Fishing Mortality Threshold (MFMT) |
| q) Overfishing Limit (OFL) |
| r) Acceptable Biological Catch (ABC) control rules |

s) Actions to Minimize the Interaction of Fishing Gear with Endangered Species or Marine Mammals

Establish an assessment group and adjustments:

The following discussion outlines the procedure by which the Council may make management changes through regulatory amendment. As previously discussed, the purpose of frameworks and regulatory amendments is to provide the most responsive and efficient modifications to management measures. If an additional review process was included, there could be substantial delays, thus resulting in a longer lag time between identification of a problem and implementation of a response.

- 1. When the Council determines that management measures require modification, the Council will appoint an advisory panel (Group) that will assess the condition of species in the reef fish or queen conch management units (including periodic economic and sociological assessments as needed). The Group will present a report of its recommendations to the Council.
- 2. The Council will consider the report and recommendations of the Group and hold public hearings at a time and place of the Council's choosing to discuss the Group's report. The Council may convene its Scientific and Statistical Committee to provide advice prior to taking final action. After receiving public input, the Council will make decisions on the need for change.
- 3. If changes to management regulations are needed, the Council will advise the Regional Administrator (RA) in writing of its recommendations accompanied by the Group's report (where appropriate), relevant background material, draft regulations, Regulatory Impact Review, and public comments.
- 4. The RA will review the Council's recommendations, supporting rationale, public comments, and other relevant information. If the RA concurs that the Council's recommendations are consistent with the goals and objectives of the fishery management plan, the national standards, and other applicable laws, the RA will recommend that the Secretary take appropriate regulatory action for the reef fish or queen conch fisheries on such date as may be agreed upon with the Council.
- 5. Should the RA reject the recommendations, the RA will provide written reasons to the Council for the rejection, and existing measures will remain in effect until the issue is resolved.
- 6. Appropriate adjustments that may be implemented by the Secretary include:
- a. Specification of Maximum Sustainable Yield (MSY) or MSY proxy and subsequent adjustment where this information is available:
- b. Specification of an Acceptable Biological Catch (ABC) control rule and subsequent adjustment where this information is available;
- c. Specification of TAC and subsequent adjustment where this information is available;
- d. Specification of Annual Catch Limits (ACLs) and Annual Catch Targets (ACTs), and subsequent adjustment;
- e. Specification of AMs and subsequent adjustment;
- f. Specification of Optimum Yield (OY) and subsequent adjustment where this information is available;
- g. Specification of Minimum Stock Size Threshold (MSST) and subsequent adjustment;
- h. Specification of Maximum Fishing Mortality Threshold (MFMT) or Overfishing Limit (OFL) and subsequent adjustment;
- i. Specification (or modification) of quotas (including zero quotas), trip limits, bag limits (including zero bag limits), size limits, gear restrictions (ranging from modifying current regulations to a complete prohibition, including to respond to interactions with listed species), season/area closures (including spawning closures), and fishing year;
- j. Initial specification and subsequent adjustment of biomass levels and age structured analyses;
- k. Adjustments to the composition of Fishery Management Units (FMUs).

Authority is granted to the RA to close any fishery (i.e. revert any bag limit to zero and close any commercial fishery), once a quota has been established through the procedure described above, and such quota has been filled.

If NMFS decides not to publish the proposed rule of the recommended management measures, or to otherwise hold the measures in abeyance, then the RA must notify the Council of its intended action and the reasons for NMFS"s concern, along with suggested changes to the proposed management measures that would alleviate the concerns. Such notice shall specify: 1) The applicable law with which the amendment is inconsistent; 2) the nature of such inconsistencies; and 3) recommendations concerning the action that could be taken by the Council to conform the amendment to the requirements of applicable law.

Table 1.5.2. Alternative 2: Adopt the following framework procedure:

OPEN FRAMEWORK

1. Situations under which it can be used:

A. A new stock assessment resulting in changes to: the overfishing limit, acceptable biological catch, or other associated management parameters.

The Council may, as part of a proposed framework action:

- Propose an ACL or a series of ACLs
- Propose corresponding adjustments to: MSY, OY, and related management parameters

B. New information or circumstances

- The Council will as part of a proposed framework action, identify the new information and provide rationale as to why this new information indicates that management measures should be changed.
- C. Changes are required to comply with applicable laws such as MSA, ESA, MMPA, or are required as a result of a court order.
 - In such instances, the RA will notify the Council in writing of the issue and that action is required. If there is a legal deadline for taking action, the deadline will be included in the notification.

2. Types of Open Frameworks

Abbreviated Framework

Can be used for routine or insignificant changes

Request is made with letter or memo from the Council to the RA with supporting analyses (biological, social, economic)

If RA concurs and approves action, it will be implemented through publication of FR Notice.

Standard Framework

Regulatory changes that do not qualify as routine or insignificant.

Requires a completed framework document with supporting analyses

Actions that can be taken under each Framework

Abbreviated Framework

- i. Reporting and monitoring requirements
- ii. Permitting requirements
- iii. Gear marking requirements,
- iv. Vessel marking requirements
- v. Restrictions related to maintaining fish in a specific condition (whole condition, filleting, use as bait, etc.)
- vi. Bag and possession limit changes of not more than 1 fish

Standard Framework

- i. Specification of ABC and ABC control rules
- ii. Rebuilding plans and revisions to approved rebuilding plans
- iii. Changes specified under Abbreviated Framework column (left) that exceed the established thresholds.

- vii. Size limit changes of not more than X% of the prior size limit
- viii. Vessel trip limit changes of not more than X% of the prior trip limit
- ix. Closed seasons of not more than X% of the overall open fishing season
- x. Species complex composition
- xi. Restricted areas (seasonal or year-round) affecting no more than a total of X square nautical miles
- xii. Re-specification of ACL or quotas that had been previously approved as part of a series of ACLs or quotas
- xiii. Specification of MSY, OY, and associated management parameters (such as overfished and overfishing definitions) where new values are calculated based on previously approved specifications
- xiv. Gear restrictions, except those that result in significant changes in the fishery, such as complete prohibitions on gear types
- xv. Quota changes of not more than X%, or retention of portion of an annual quota in anticipation of future regulatory changes during the same fishing year
- **3.** The Council will initiate the open framework process to inform the public of the issues and develop potential alternatives to address the issues. The framework process will include the development of documentation and public discussion during at least one council meeting.
- **4.** Prior to taking final action on the proposed framework action, the Council may convene its SSC, or AP, as appropriate, to provide recommendations on the proposed actions.
- **5.** For all framework actions, the Council will provide the letter, memo, or the completed framework document along with proposed regulations to the Regional Administrator in a timely manner following final action by the Council.
- **6.** For all framework action requests, the Regional Administrator will review the Council's recommendations and supporting information and notify the Council of the determinations, in accordance with the MSA and other applicable law.

CLOSED FRAMEWORK

Consistent with existing requirements in the FMP and implementing regulations, the RA is authorized to conduct the following framework actions through appropriate notification in the Federal Register:

- a. Close or adjust harvest of any sector of the fishery for a species, sub-species, or species group that has a quota or sub-quota at such time as projected to be necessary to prevent the sector from exceeding its sector-quota for the remainder of the fishing year or sub-quota season.
- b. Reopen any sector of the fishery that had been prematurely closed.
- c. Implement accountability measures, either in-season or post-season.

Table 1.5.3. Alternative 3: Adopt the following framework procedure (Broad):

OPEN FRAMEWORK

- 1. The council may utilize this framework procedure to implement management changes in response to any additional information or changed circumstances. The Council will, as part of a proposed framework action, identify any new information and provide rationale as to why this new information requires that management measures be adjusted.
- **2.** Open framework actions may be implemented at any time based on information supporting the need for adjustment of management measures or management parameters:

Actions that can be taken under Framework

- i. Reporting and monitoring requirements
- ii. Permitting requirements
- iii. Bag and Possession Limits
- iv. Size Limits
- v. Vessel Trip Limits
- vi. Closed Seasons
- vii. Species complex composition
- viii. Restricted areas (seasonal or year-round)
- ix. Re-specification of ACL,
- x. Specification of MSY, OY, and associated management parameters (such as overfished and overfishing definitions) where new values are calculated based on previously approved specifications
- xi. Gear restrictions, except those that result in significant changes in the fishery, such as complete prohibitions on gear types
- xii. Quota changes
- xiii. Specification of ABC and ABC control rules
- xiv. Rebuilding plans and revisions to approved rebuilding plans
- xv. Any other measures deemed appropriate by the Council
- 3. The Council will initiate the open framework process to inform the public of the issues and develop potential alternatives to address the issue. The framework process will include the development of documentation and public discussion during one council meeting.
- 4. For all framework actions, the Council will provide the letter, memo, or the completed framework document along with proposed regulations to the Regional Administrator in a timely manner following final action by the Council.
- 5. For all framework action requests, the Regional Administrator will review the Council's recommendations and supporting information and notify the Council of the determinations, in accordance with the MSA and other applicable law.

CLOSED FRAMEWORK

Consistent with existing requirements in the FMP and implementing regulations, the RA is authorized to conduct the following framework actions through appropriate notification in the Federal Register:

- a. Close or adjust harvest any sector of the fishery for a species, sub-species, or species group that has a quota or sub-quota at such time as projected to be necessary to prevent the sector from exceeding its sector-quota for the remainder of the fishing year or sub-quota season
- b. Reopen any sector of the fishery that had been prematurely closed
- c. Implement accountability measures, either in-season or post-season.
- d. Take any other immediate action specified in the regulations.

Table 1.5.4. Alternative 4: Adopt the following framework procedure (Narrow):

OPEN FRAMEWORK (ONLY THE FOLLOWING):

A. A new stock assessment resulting in changes to: the overfishing limit, acceptable biological catch, or other associated management parameters.

The Council may, as part of a proposed framework action:

- Propose an ACL or series of ACLs
- Propose corresponding adjustments to: MSY, OY, and related management parameters

Actions that can be implemented under the above conditions only

- i. Reporting and monitoring requirements
- ii. Bag and Possession Limits
- iii. Size Limits
- iv. Closed Seasons
- v. Restricted areas (seasonal or year-round)
- vi. Quotas

The Council will initiate the open framework process to inform the public of the issues and develop potential alternatives to address the issue. The framework process will include the development of documentation and public discussion during at least three council meetings, and shall be discussed at separate public hearings within the areas most affected by the proposed measures.

Prior to taking final action on the proposed framework action, the Council shall convene its SSC and AP to provide recommendations on the proposed actions.

For all framework actions, the Council will provide the letter, memo, or the completed framework document and all supporting analyses, along with proposed regulations to the Regional Administrator in a timely manner following final action by the Council.

For all framework action requests, the Regional Administrator will review the Council's recommendations and supporting information and notify the Council of the determinations, in accordance with the MSA and other applicable law. The RA will provide the Council weekly updates on the status of the proposed measures.

CLOSED FRAMEWORK

Consistent with existing requirements in the FMP and implementing regulations, the RA is authorized to conduct the following framework actions through appropriate notification in the Federal Register:

- a. Close or adjust harvest any sector of the fishery for a species, sub-species, or species group that has a quota or sub-quota at such time as projected to be necessary to prevent the sector from exceeding its sector-quota for the remainder of the fishing year or sub-quota season
- b. Reopen any sector of the fishery that had been prematurely closed
- c. Implement accountability measures, either in-season or post-season.



Appendix A. List of Coral Species

Table A. List of species of corals currently included in the Corals and Reef Associated Plants and Invertebrates Fishery Management Plan (FMP). The proposed list of corals for the St. Croix FMP would include all corals – soft, hard, mesophotic, and deep-water corals.⁵.

| I. CoelenteratesPhylum Coelenterata | | Family | Scientific Name | Common Name | |
|--|----|---------------|------------------------------|----------------------|--|
| A. Hydrocorals Class Hydrozoa | | | | | |
| Hydroids Order Athecatae | 1 | Milleporidae | Millepora spp. | Fire corals | |
| · | 2 | Stylasteridae | Stylaster roseus | Rose lace corals | |
| B. Anthozoans Class Anthozo | a | | | | |
| Soft corals Order Alcyonacea | 3 | Anthothelidae | Erythropodium caribaeorum | Encrusting gorgonian | |
| | 4 | | Iciligorgia schrammi | Deep-water sea fan | |
| | 5 | Briaridae | Briareum asbestinum | Corky sea finger | |
| | 6 | Clavulariidae | Carijoa riisei | | |
| | 7 | | Telesto spp. | | |
| Gorgonian corals | 8 | Ellisellidae | Ellisella spp. | Sea whips | |
| Order Gorgonacea | 9 | Gorgoniidae | Gorgonia flabellum | Venus sea fan | |
| | 10 | | G. mariae | Venus sea fan | |
| | 11 | | G. ventalina | Common sea fan | |
| | 12 | | Pseudopterogorgia acerosa | Venus sea fan | |
| | 13 | | P. albatrossae | | |
| | 14 | | P. americana | Slimy sea plume | |
| | 15 | | P. bipinnata | Bipinnate plume | |
| | 16 | | P. rigida | | |
| | 17 | | Pterogorgia anceps | Angular sea whip | |
| | 18 | | P. citrina | Yellow sea whip | |
| | 19 | Plexauridae | Eunicea calyculata | Warty sea rod | |
| | 20 | | E. clavigera | | |
| | 21 | | E. fusca | Doughnut sea rod | |
| | 22 | | E. knighti | | |
| | 23 | | E. laciniata | | |
| | 24 | | E. laxispica | | |
| | 25 | | E. mammosa | Swollen-knob | |
| | 26 | | E. succinea | Shelf-knob sea rod | |
| | 27 | | E. touneforti | | |

⁵ This list needs to be updated with input from the SSC.

| I. CoelenteratesPhylum Coelenterata | | Family | Scientific Name | Common Name |
|--|----|----------------|------------------------------|--------------------|
| | 28 | | Muricea atlantica | |
| | 29 | | M. elongata | Orange spiny rod |
| | 30 | | M. laxa | Delicate spiny rod |
| | 31 | | M. muricata | Spiny sea fan |
| | 32 | | M. pinnata | Long spine sea fan |
| | 33 | | Muriceopsis spp. | |
| | 34 | | M. flavida | Rough sea plume |
| | 35 | | M. sulphurea | |
| | 36 | | Plexaura flexuosa | Bent sea rod |
| | 37 | | P. homomalla | Black sea rod |
| | 38 | | Plexaurella dichotoma | Slit-pore sea rod |
| | 39 | | P. fusifera | |
| | 40 | | P. grandiflora | |
| | 41 | | P. grisea | |
| | 42 | | P. nutans | Giant slit-pore |
| | 43 | | Pseudoplexaura crucis | |
| | 44 | | P. flagellosa | |
| | 45 | | P. porosa | Porous sea rod |
| | 46 | | P. wagenaari | |
| Hard CoralsOrder Scleractinia | 47 | Acroporidae | Acropora cervicornis | Staghorn coral |
| | 48 | | A. palmata | Elkhorn coral |
| | 49 | | A. prolifera | Fused staghorn |
| | 50 | | Agaricia agaricities | Lettuce leaf coral |
| | 51 | | A. fragilis | Fragile saucer |
| | 52 | | A. lamarcki | Lamarck's sheet |
| | 53 | | A. tenuifolia | Thin leaf lettuce |
| | 54 | | Leptoseris cucullata | Sunray lettuce |
| | 55 | Astrocoeniidae | Stephanocoenia michelinii | Blushing star |
| | 56 | Caryophyllidae | Eusmilia fastigiata | Flower coral |
| | 57 | | Tubastrea aurea | Cup coral |
| | 58 | Faviidae | Cladocora arbuscula | Tube coral |
| | 59 | | Colpophyllia natans | Boulder coral |
| | 60 | | Diploria clivosa | Knobby brain coral |
| | 61 | | D. labyrinthiformis | Grooved brain |
| | 62 | | D. strigosa | Symmetrical brain |

| I. CoelenteratesPhylum Coelenterata | | Family | Scientific Name | Common Name |
|--|----|----------------|-------------------------|---------------------|
| | 63 | | Favia fragum | Golfball coral |
| | 64 | | Manicina areolata | Rose coral |
| | 65 | | M. mayori | Tortugas rose coral |
| | 66 | | Montastrea annularis | Boulder star coral |
| | 67 | | M. cavernosa | Great star coral |
| | 68 | | Solenastrea bournoni | Smooth star coral |
| | 69 | Meandrinidae | Dendrogyra cylindrus | Pillar coral |
| | 70 | | Dichocoenia stellaris | Pancake star |
| | 71 | | D. stokesi | Elliptical star |
| | 72 | | Meandrina meandrites | Maze coral |
| | 73 | Mussidae | Isophyllastrea rigida | Rough star coral |
| | 74 | | Isophyllia sinuosa | Sinuous cactus |
| | 75 | | Mussa angulosa | Large flower coral |
| | 76 | | Mycetophyllia aliciae | Thin fungus coral |
| | 77 | | M. danae | Fat fungus coral |
| | 78 | | M. ferox | Grooved fungus |
| | 79 | | M. lamarckiana | Fungus coral |
| | 80 | | Scolymia cubensis | Artichoke coral |
| | 81 | | S. lacera | Solitary disk |
| | 82 | Oculinidae | Oculina diffusa | Ivory bush coral |
| | 83 | Pocilloporidae | Madracis decactis | Ten-ray star coral |
| | 84 | | M. mirabilis | Yellow pencil |
| | 85 | Poritidae | Porites astreoides | Mustard hill coral |
| | 86 | | P. branneri | Blue crust coral |
| | 87 | | P. divaricata | Small finger coral |
| | 88 | | P. porites | Finger coral |
| | 89 | Rhizangiidae | Astrangia solitaria | Dwarf cup coral |
| | 90 | | Phyllangia americana | Hidden cup coral |
| | 91 | Siderastreidae | Siderastrea radians | Lesser starlet |
| | 92 | | S. siderea | Massive starlet |
| Black Corals | 93 | | Antipathes spp. | Bushy black coral |
| Order Antipatharia | 94 | | Stichopathes spp. | Wire coral |